

SOUTH AUSTRALIA.

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS,
AND MARRIAGES.

1905.

ADELAIDE:

BY AUTHORITY: C. E. BRISTOW, GOVERNMENT PRINTER, NORTH TERRACE.

1906

ANNUAL REPORT

OF THE
NAVY DEPARTMENT

1905



REGISTRAR-GENERAL OF BIRTHS, ETC.—ANNUAL REPORT, 1905.

Office of Registrar-General of Births, &c., August 15th, 1906.

Sir—I have the honor to submit to you the following report on the births, deaths, and marriages registered in South Australia in the year 1905 :—

Near the end of the report will be found, under their proper heading, some observations and statistics respecting the Northern Territory; but, with these exceptions, and except also where the Territory is specially mentioned, everything written with regard to the State, in either the report itself or the tables accompanying it, must be understood as referring to the southern part only—that is, to South Australia proper.

POPULATION.

On December 31st, 1905, the estimated population of South Australia, exclusive of the inhabitants of the Northern Territory and of full-blood aborigines, was 374,398, viz., 194,241 males and 180,157 females. This showed an advance of 5,746 on the estimated population at the beginning of the year—an increase which was greater than that of any other year since 1893.

All these figures are based on the estimates of population which, both for the beginning and the end of the year, have been computed in accordance with the plan agreed upon at the Conference of Government Statisticians held in Melbourne in September, 1903.

Instead of estimating the population every month, as was the practice in this State for a great many years, it is now the rule to make only quarterly estimates. In computing them additions of 10 per cent. each are made to the records of immigration and emigration by land to allow for unrecorded traffic by rail and road, while, as an allowance for unrecorded departures by sea, 7 per cent. is added to the recorded emigration by ship. No allowance is made for unrecorded arrivals by sea.

The following table, compiled from quarterly returns supplied by the State Customs Department and the Railways Department, shows the distribution as to route of the recorded immigration and emigration in 1905 :—

Route.	Inwards.			Outwards.		
	Males.	Females.	Total.	Males.	Females.	Total.
By sea	9,610	5,019	14,629	7,710	5,190	12,900
Via River Murray	129	111	240	172	96	268
Via Cockburn	9,370	4,869	14,239	8,752	5,911	14,663
Via Serviceton	15,986	8,295	24,281	14,300	9,666	23,966
	35,095	18,294	53,389	30,934	20,863	51,797

Taken as they stand (that is, without considering allowances which have been made for unrecorded arrivals and for unrecorded departures) the figures in the table would show that the population lost 28 persons *via* the River Murray and 424 *via* Cockburn, while it gained 315 *via* Serviceton and 1,729 by sea, the final result to the State being a gain of 1,592 persons.

The estimated mean population for the year was 370,791 (190,447 males and 180,344 females), being greater by 5,205 than the mean population of 1904.

Throughout this report, and the statistical tables accompanying it, the annual rates of births, deaths, and marriages to population are invariably calculated on the mean populations of the years referred to.

BIRTHS.

The tendency to improvement which was observable in the birth returns of the year before did not continue in 1905. The births registered numbered 8,832, being fewer by 268 than those recorded in 1904; the birth rate per 1,000 of the mean population was 23·82, against 24·89 in the previous year, while the natural addition to population from the excess of births over deaths was 5,071, against 5,381 in 1904.

All the explanation (accompanied by the necessary details) which this department could give respecting the serious decline in the birth rate since 1885, was very fully and, it is believed, clearly stated in the Annual Report for 1903. As that report, being so recent, can easily be referred to, it would serve no useful purpose here to deal with the matter again.

Of the total births registered in 1905, 4,491 were male births, and 4,341 female; the proportion of the former to 100 of the latter being 103·46. In England, according to recent returns, the proportion for the five years ended with 1904 was 103·68, while the “Victorian Year Book” gives, omitting fractions, 105 as the ratio for the Australian States and New Zealand taken together, the calculation being based on the returns for the five years 1893–97.

In

In the first quarter of 1905 the births registered in South Australia numbered 2,121, in the second, 2,309 ; in the third, 2,345 ; and in the fourth, 2,057 ; the births of the second and third quarters being, according to the general rule, more numerous than those of the first and last.

By means of a tabular statement, which will be found later on, and the information in which—like all similar information given in this report—has been taken from the latest and most authentic sources, the birth rate of South Australia can be compared with the birth rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Illegitimate Births.—The births entered in 1905 as illegitimate numbered 386 (190 males and 196 females), against 365 in the previous year. The percentage of illegitimate births to the total births registered during the year was 4·37.

The following table shows the percentages in the six Australian States, New Zealand, and the different parts of the United Kingdom in the years specified :—

	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	Mean.
South Australia	3·46	3·53	3·62	3·95	4·24	3·98	4·36	4·18	4·01	4·37	3·97
New South Wales ..	6·70	6·58	6·93	7·16	7·01	7·16	6·60	6·71	7·12	7·37	6·93
Victoria	5·63	5·41	5·33	5·49	5·91	5·58	5·51	5·73	5·73	5·61	5·59
Queensland	5·22	6·02	6·03	5·97	6·40	5·93	6·04	6·79	6·90	6·97	6·28
Western Australia ..	5·61	5·27	4·99	4·91	4·82	3·88	3·96	4·70	4·36	4·19	4·67
Tasmania	5·91	5·74	5·09	6·07	5·43	5·94	6·11	5·61	5·82	5·51	5·72
New Zealand	4·48	4·48	4·23	4·40	4·64	4·57	4·46	4·55	4·52	4·57	4·49
England and Wales..	4·2	4·2	4·2	4·0	4·0	3·9	3·9	3·9	4·0	—	4·03
Ireland	2·6	2·6	2·7	2·6	2·7	2·6	2·6	2·6	2·5	—	2·61
Scotland	7·27	7·04	6·78	6·49	6·49	6·32	6·28	6·13	6·46	6·61	6·59

For the convenience of reference and of comparison a table showing the South Australian rates of illegitimacy for twenty-five years is here appended :—

1881	2·25	1895	3·13
1882	2·25	1896	3·46
1883	1·75	1897	3·53
1884	2·10	1898	3·62
1885	2·42	1899	3·95
1886	2·38	1900	4·24
1887	2·49	1901	3·98
1888	2·67	1902	4·36
1889	2·47	1903	4·18
1890	2·50	1904	4·01
1891	2·93	1905	4·37
1892	2·93		
1893	2·84		
1894	3·05		
		Mean of twenty-five years ..	3·11

Although the foregoing table is similar to one of those usually given in statistics of illegitimacy, it is somewhat misleading as far as late years are concerned, because the rise in the per cent. rates for those years has been mainly owing, not to an advance in illegitimate births, but to the great falling off in the number of legitimate ones. If separate comparisons be made of the number of illegitimate births in 1881, 1891, and 1901 with the number of unmarried women (including widows) of the child-bearing age (15 to 45), as stated in the census returns of each of these years, it will be found that, calculated in this way, the rates per 100 women were 0·87, 0·89, and 0·75 for the three years respectively. It may be added that if the number of illegitimate births in 1902, 1903, 1904, and 1905 be similarly compared with the number (as *estimated* here recently for the use of the Registrar-General of England) of unmarried women (including widows) of the child-bearing age in each of these years, it will be found that the rates per 100 women for the four years were 0·81, 0·73, 0·75, and 0·79, respectively.

From all this it will be seen that there has not really been an undue advance in illegitimacy in recent years, but that, on the contrary, there has, in proportion to the number of females exposed to temptation, been rather a decline in immorality in this respect.

DEATHS.

The deaths registered in 1905 numbered 3,761, being more by 42 than those of the previous year, but, with that exception, being the lowest number recorded in any year since 1892. The deaths of males were 2,003, and of females 1,758, the proportion of the former to 100 of the latter being 113·94, which was greater by 10·48 than the proportion of male to female births. Of the total number of deaths recorded in the year, 988 were registered in the first quarter, 956 in the second, 918 in the third, and 899 in the fourth, the mortality of the first half of the year being, as most commonly happens, greater than that of the last. The death rate per 1,000 of the mean population was 10·14, which was not only lower by 0·03 than that of 1904, but was the lowest death rate on record. It may be stated here that in every one of the twenty-one years 1885-1905 the death rate was low.

By means of the tabular statement which has already been referred to, and which will be found later on, the death rate of South Australia can be compared with the death rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Causes of Death.—Arranged in their respective classes and numbers, the causes of death in 1905 and the previous year were as follows :

	1904.	1905.
I. Specific febrile or zymotic diseases	296	238
II. Parasitic diseases	13	18
III. Dietetic diseases	14	12
IV. Constitutional diseases	670	705
V. Developmental diseases	505	533
VI. Local diseases	1,810	1,854
VII. Violence	233	264
VIII. Ill-defined and not specified causes	178	137

It will be seen from this that, comparing the causes of death in the two years by classes, there were, in 1905, increases in the second, fourth, fifth, sixth, and seventh classes, and decreases in the first, third, and eighth. There was nothing remarkable or calling for comment in any of the increases or decreases except the decline in the zymotic class, which was noteworthy, following, as it did, a great decrease in the previous year, which itself followed a still greater decrease in 1903. The decline in 1905 was chiefly owing to a falling off in the number of deaths from influenza, whooping cough, diphtheria, and septic diseases (including puerperal fever). It may be stated here that since the introduction, now twenty-one years ago, of the present system of classifying causes of death, there have never been in any other year so few deaths attributed to the zymotic class as there were in 1905.

As very full particulars are given in the tables accompanying this report respecting the different causes of death specified in them, it is considered necessary to refer specially here to only some of those in the zymotic class and a few of the other causes.

Scarlet Fever, Measles.—In 1905 there were 8 deaths from scarlet fever, against 10 in the previous year; while there were no deaths from measles in either of these years.

Whooping Cough.—There were only 6 deaths from whooping cough, against 25 in 1904.

Cerebro-spinal Fever.—To this malady, known also as epidemic cerebro-spinal meningitis, only 1 death was attributed in 1905, against 4 in the previous year.

Enteric Fever.—The deaths from enteric or typhoid fever numbered 41 (23 males and 18 females), being more by 9 than those recorded in 1904.

The following table shows the death rates from this disease per 1,000 of the mean population for the last twenty-four years :—

1882	0.51	1895	0.21
1883	0.46	1896	0.28
1884	0.44	1897	0.31
1885	0.43	1898	0.42
1886	0.31	1899	0.32
1887	0.47	1900	0.16
1888	0.35	1901	0.20
1889	0.42	1902	0.25
1890	0.30	1903	0.16
1891	0.23	1904	0.09
1892	0.26	1905	0.11
1893	0.19		
1894	0.24		
		Mean of twenty-four years	0.30

For comparison it may be stated that in England, according to the returns of the Registrar-General, the rate in 1904 was only 0.09, and the mean annual rate for the quinquennium ended with that year 0.13, while recent returns give the rates in the Australian States and New Zealand, as follows :—

Western Australia	1904 ..	0.37	Tasmania	1904 ..	0.12
Queensland	1904 ..	0.18	South Australia	1904 ..	0.09
New South Wales	1904 ..	0.16	New Zealand	1904 ..	0.09
Victoria	1904 ..	0.16			

It would seem, therefore, that in reference to enteric fever the Australian States, with the exception of South Australia, compare unfavorably with England and New Zealand. Only 3 of the deaths in this State from enteric fever in 1905 were of children under 5 years of age, while none of the deaths were of persons over 45.

In the annual report for 1889 it was stated that "As many of the deaths from this disease occurred in public hospitals, and were of persons who had come from a distance—in some cases even from beyond the limits of the colony—and as many others were of persons who had returned ill to their homes from various directions, it would serve no useful purpose to give a minute detail of the local distribution of the deaths." For similar reasons, minute details of such distribution are not given in this present report; but it may be stated that 13 of the deaths occurred in the four districts forming "Adelaide and suburbs" (that is, Adelaide, Norwood, Hindmarsh, and Port Adelaide), only 3 in the districts south of Adelaide district, and the remaining 25 in the other parts of the State.

It is noteworthy how very few deaths from this disease occur in all that portion of the State which lies south of the district of Adelaide. From 1887 to 1905 they numbered in each year respectively only 4, 8, 8, 9, 1, 1, 2, 4, 5, 1, 2, 3, 3, 4, 1, 6, 1, 4, and 3.

The deaths from enteric fever in 1905 were, for the most part, distributed over the first six months of the year, but 2 of them occurred in August, 1 in November, and 4 in December.

Diphtheria, Croup.—The deaths from diphtheria numbered only 7 (2 males and 5 females), being, fewer by 11 than those recorded in 1904, and being the lowest number recorded in any year since this malady first made its appearance in South Australia, or, at all events, since 1859, when it was first recognised here as a distinct disease. Only 2 of the deaths were of persons over 10 years of age.

Judging from the returns of several years, it would seem that though no age protects a person from liability to attack from this malady, the mortality from it is chiefly confined to children under 10 years old. Of the total deaths from diphtheria, 4 were registered in "Adelaide and suburbs," and 1 each in the districts of Frome, Highercombe, and Robe.

The

The following table shows the death rates from this disease per 1,000 of the mean population for the years specified :—

1900	0·09	1903	0·06
1901	0·05	1904	0·05
1902	0·08	1905	0·02

Both in Australasia and in England there seem to be, in many cases, considerable difficulty and uncertainty in distinguishing between diphtheria and croup. Occasionally, therefore, statistical writers count together the deaths from these two diseases. The deaths from croup in 1905 numbered 7 (4 males and 3 females), against 4 in the previous year.

Influenza, or la Grippe.—The deaths from influenza in 1905 numbered 27 (16 males and 11 females), against 45 in the previous year. Ever since 1890, inclusive, this disease has been very destructive, though for many years before that time it troubled the State but very little.

Phthisis.—The deaths from phthisis were 279 (130 males and 149 females), being fewer by 10 than the number registered in 1904. Of the total deaths from all causes 7·42 per cent. were attributed to phthisis, against 7·77 in the previous year, while the proportion of deaths from this disease per 1,000 of the mean population was 0·75, against 0·79 in 1904.

The following table shows the proportions for the last twenty-one years :—

1885	0·99	1897	0·89
1886	1·12	1898	0·91
1887	1·16	1899	0·89
1888	1·19	1900	0·84
1889	0·94	1901	0·84
1890	0·94	1902	0·81
1891	1·04	1903	0·82
1892	0·95	1904	0·79
1893	1·02	1905	0·75
1894	1·05		
1895	0·98		
1896	0·89		
		Mean of twenty-one years....	0·94

In England the proportion in 1904 was 1·24, being under the mean annual rate (1·25) for the quinquennium ended with that year.

If the English and the South Australian rates for either 1904 or the quinquennium ended with that year be carefully studied, it will be found that such a portion of population as would in this State yield about 6 deaths from phthisis would in England yield over 9 deaths. Such is the fact, although in the latter country females, who are less liable than persons of the other sex to become victims to consumption, considerably outnumber the males, whereas in South Australia the male population is the more numerous. Furthermore, phthisis is so frequently complicated with bronchitis or pneumonia, or both, that in many a case of death it must be very difficult—perhaps impossible—to decide with certainty as to which of these three lung diseases should be set down as the *principal* cause of the fatal result; and, of course, this uncertainty affects more or less the classification in the mortality tables, as the undue inflation of the death record from any one of the three may have the effect of unduly lessening the recorded mortality from the others. This being so, it is not possible to have a clear view of the real significance of the recorded death rate from one of these diseases unless the corresponding death rates from the other two are also taken into account. Now, in 1904 the death rates from bronchitis and pneumonia, per 1,000 of the population, were in England 1·25 and 1·28 respectively; whilst in South Australia they were only 0·32 and 0·48 respectively. The combined death rate in that year from phthisis, bronchitis, and pneumonia was 3·77 in England, and only 1·59 in this State—that is to say, less than half. From these facts it will be evident that, in reference to mortality from phthisis and the two other most destructive diseases of the lungs, South Australia compares very favorably indeed with the mother country.

For comparison, the death rates from phthisis of the six Australian States and New Zealand, as shown in recent returns, are here appended :—

Victoria	1904 ..	1·11	New Zealand	1904 ..	0·71
Western Australia	1904 ..	0·84	Tasmania	1904 ..	0·63
South Australia	1904 ..	0·79	Queensland	1904 ..	0·54
New South Wales	1904 ..	0·72			

Cancer.—The deaths from cancer (including all malignant new growths) numbered 249 (118 males and 131 females), being more by 23 than those registered in 1904. The proportion of deaths from this disease per 1,000 of the mean population was 0·67, against 0·62 in the previous year.

For the last twenty-one years the rates were as follows :—

1885	0·32	1897	0·54
1886	0·34	1898	0·53
1887	0·36	1899	0·58
1888	0·38	1900	0·59
1889	0·43	1901	0·60
1890	0·41	1902	0·74
1891	0·49	1903	0·72
1892	0·46	1904	0·62
1893	0·51	1905	0·67
1894	0·48		
1895	0·48		
1896	0·54		
		Mean of twenty-one years	0·51

In England the proportion in 1904 was 0·88, which was above the mean annual rate (0·85) for the quinquennium ended with that year, and was, in fact, up to that time the highest rate ever recorded there. For comparison, the rates of the six Australian States and New Zealand, as shown in recent returns, are here appended :—

Victoria	1904 ..	0·74	Queensland	1904 ..	0·57
New Zealand	1904 ..	0·68	Tasmania	1904 ..	0·52
New South Wales	1904 ..	0·65	Western Australia	1904 ..	0·44
South Australia	1904 ..	0·62			

All the deaths in South Australia in 1905 from cancer, except 8, were of persons over 30 years of age.

In England the mortality from cancer has always been very much less amongst the male than amongst the female portion of the population. For instance, in the quinquennium ended with 1904 the average annual

death rates there from this disease, per 1,000 of the mean population of each sex, were 0·71 and 0·99 respectively. In this State, however, though the difference is but little, the average rate of male mortality is the higher of the two, as the following table will show :—

	Male Rate.	Female Rate.		Male Rate.	Female Rate.
1892	0·52	0·39	1900	0·58	0·61
1893	0·51	0·51	1901	0·53	0·63
1894	0·48	0·48	1902	0·70	0·79
1895	0·49	0·47	1903	0·73	0·71
1896	0·56	0·51	1904	0·61	0·63
1897	0·62	0·45	1905	0·62	0·73
1898	0·55	0·51			
1899	0·59	0·57	Mean	0·58	0·57

Diseases and Accidents of Pregnancy and Childbirth.—The deaths ascribed in 1905 to these causes including puerperal fever, were 34, against 54 in the previous year. The proportion which deaths from these causes bore to 1,000 registered births was 3·85, against 5·93 in 1904. The following table shows the proportions in South Australia, Victoria, and England in the years specified :—

	South Australian Rate.	Victorian Rate.	English Rate.
1882	6·46	6·58	5·09
1883	4·39	5·74	5·06
1884	4·14	7·04	4·79
1885	4·40	5·61	4·98
1886	3·22	6·23	4·29
1887	4·99	5·27	4·69
1888	4·09	5·42	4·73
1889	2·81	4·48	4·05
1890	3·67	5·30	4·89
1891	5·68	4·99	5·24
1892	4·36	4·63	5·78
1893	5·24	4·90	6·51
1894	4·01	5·31	5·36
1895	4·56	5·67	4·57
1896	7·79	5·87	4·98
1897	4·09	6·45	4·61
1898	6·71	5·63	4·41
1899	4·26	6·19	4·66
1900	4·92	5·30	4·81
1901	4·74	6·48	4·73
1902	3·91	6·53	4·47
1903	4·60	6·39	4·07
1904	5·93	5·34	3·88
1905	3·85	5·71	—
Mean	4·70	5·71	4·81

Infantile Mortality.—The deaths of infants under 1 year of age numbered 643 (362 males and 281 females), against 637 in 1904, and were in the proportion of 7·28 to 100 births registered. From 1885 to 1905 the proportions were as follows :—

1885	11·34	1896	10·14
1886	12·61	1897	10·91
1887	11·12	1898	13·99
1888	9·59	1899	11·16
1889	9·42	1900	9·96
1890	9·65	1901	10·01
1891	9·09	1902	9·38
1892	9·69	1903	9·68
1893	11·65	1904	7·00
1894	9·39	1905	7·28
1895	9·49		

Recent returns give the proportions in the other Australian States and New Zealand as follows :—

Western Australia	1905 ..	10·42	New South Wales	1905 ..	8·06
Victoria	1905 ..	8·33	Queensland	1905 ..	7·55
Tasmania	1905 ..	8·07	New Zealand	1905 ..	6·75

On the whole, the Australian States and New Zealand stand well in regard to infantile mortality, since, according to the returns of the Registrar-General of England, the two lowest proportions known in that country since the introduction of registration were 13·00 in 1881 and 13·20 in 1903, while the proportion has in several years been over 15·00, and in some even over 16·00. For the quinquennium ended with 1904 the mean annual proportion in England was 14·30.

In the following table the infantile mortality of South Australia in 1905 is numerically shown in classes and in four age-periods :—

Class.	Causes of Death.	Ages at Death.										
		Totals.			Under 1 Month.		1—3.		3—6.		6—12.	
		M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.
	Total	362	281	643	152	118	68	33	60	51	82	79
I.	Specific febrile or zymotic diseases..	41	37	78	7	4	6	5	12	15	16	13
II.	Parasitic diseases	1	1	2	1	—	—	1	—	—	—	—
III.	Dietetic diseases	3	1	4	—	—	—	—	2	1	1	—
IV.	Constitutional diseases	6	5	11	1	—	1	1	1	3	3	1
V.	Developmental diseases	80	60	140	74	58	5	1	—	1	1	—
VI.	Local diseases	157	119	276	34	26	41	16	36	25	46	52
VII.	Violence	14	6	20	11	4	—	—	—	—	3	2
VIII.	Ill-defined or not specified causes..	60	52	112	24	26	15	9	9	6	12	11

INDEX OF MORTALITY.

In the annual report for 1902 a very full explanation was given respecting the nature of and the method of calculating the adjusted death rates, known amongst the statisticians of the Commonwealth States and New Zealand as "indexes of mortality." It is not thought necessary to repeat the explanation here, and, at any rate, to do so would take up much more space than could be spared for the purpose. The index of mortality of South Australia proper for the year 1905 was 13·58 per 1,000 of population, while that of the whole State, including the Northern Territory, was 13·63. The corresponding ordinary or crude death rates were 10·14 and 10·15, respectively.

The following table shows the index of mortality rates for four years:—

South Australia Proper.		South Australia (including the Northern Territory).	
1902	15·08	1902	15·18
1903	13·87	1903	14·03
1904	13·44	1904	13·53
1905	13·58	1905	13·63

MARRIAGES.

The marriages registered in 1905 numbered 2,594, not only being more by 68 than those celebrated in 1904, but also being the highest number ever recorded in any one year. The marriage rate (that is, the rate of marriages, not of persons married) per 1·000 of the mean population was 7·00, against 6·91 in the previous year, and was above the rate recorded in any other year since 1891. The marriages celebrated in the first quarter numbered 635; in the second, 637; in the third, 653; and in the fourth 669.

By means of the tabular statement which has already been referred to, and which will be found later on, the marriage rate of South Australia can be compared with the marriage rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Table 13, accompanying this report, gives detailed information as to the ages of the persons married, and shows how many of them were bachelors or widowers, spinsters or widows, and how many were unable to write their names. The number of marriages celebrated during the year according to the ceremonies of each religious denomination and the number of civil marriages are shown in the following statement:—

Methodist	870	New Jerusalem Church	35
Church of England	543	Salvation Army	30
Roman Catholic	260	Christian Brethren	30
Lutheran	176	City Mission	12
Baptist	173	Officiating Registrars	12
Presbyterian	129	Jewish	9
Church of Christ	109	Unitarian	1
Congregationalist	107	Movavian	1
Registrar-General, Deputy Registrar, and District Registrars	96	Seventh Day Adventist	1

A rise or fall in marriage rates, or in the value of exports or imports, is generally regarded as being in some degree indicative of a corresponding change in the prosperity of a country. The following table shows the variations year after year from 1881 to 1905 in such rates and values in South Australia:—

Year.	Marriage Rate per 1,000 of Mean Population.	Value per Head of Mean Population.		
		Imports Retained for Home Consumption.	Exports of South Australian Produce.	Imports and Exports United.
		£ s. d.	£ s. d.	£ s. d.
1881.....	8·31	16 1 3	13 2 5	29 3 8
1882.....	8·87	19 8 4	14 13 9	34 2 1
1883.....	8·64	16 14 5	11 17 4	28 11 9
1884.....	8·42	14 11 2	17 8 10	32 0 0
1885.....	7·93	13 15 11	14 4 2	28 0 1
1886.....	6·51	10 9 11	9 5 11	19 15 10
1887.....	6·48	10 4 0	10 19 5	21 3 5
1888.....	6·82	10 3 0	15 5 9	25 8 9
1889.....	6·69	10 10 4	11 19 10	22 10 2
1890.....	7·17	12 6 11	14 3 2	26 10 1
1891.....	7·31	13 0 11	14 16 0	27 16 11
1892.....	6·55	8 13 6	9 19 8	18 13 2
1893.....	6·32	8 5 8	9 17 5	18 3 1
1894.....	6·16	6 13 8	9 17 0	16 10 8
1895.....	5·96	5 13 4	10 6 1	15 19 5
1896.....	6·33	8 4 6	9 9 8	17 14 2
1897.....	5·66	7 15 10	7 4 4	15 0 2
1898.....	6·38	5 8 2	7 3 5	12 11 7
1899.....	6·44	6 18 10	11 4 4	18 3 2
1900.....	6·51	10 4 2	10 3 9	20 7 11
1901.....	6·44	9 14 3	11 15 10	21 10 1
1902.....	6·60	8 14 8	13 5 0	21 19 8
1903.....	6·25	9 12 2	14 5 2	23 17 4
1904.....	6·91	12 8 8	15 13 6	28 2 2
1905.....	7·00	13 8 8	16 5 4	29 14 0

This table, first introduced in the Annual Report for 1891, evidently serves the purpose for which it was originally, and is still, intended. It now indicates pretty clearly the periods of prosperity and those of depression in the State during the last quarter of a century.

It is the opinion of statisticians that if through a series of years the number of marriages in each year be compared with the number of legitimate births in the following year a very fair estimate can be obtained of the average number of children born to each married couple. Although the figures of a long series of years are

are required to demonstrate the correctness of this opinion, it is generally only necessary to examine those of a few years to obtain estimates that may be relied on. The following figures show the proportion of births to each marriage in South Australia for twenty years, in each instance the births compared being for the year given and the marriages for the year before :—

1886	4.46	1897	4.72
1887	5.34	1898	4.42
1888	5.17	1899	4.08
1889	4.83	1900	3.87
1890	4.90	1901	3.78
1891	4.66	1902	3.71
1892	4.42	1903	3.42
1893	4.90	1904	3.87
1894	4.81	1905	3.34
1895	4.87		
1896	4.72	Mean	4.41

It would seem from these figures that 4.41 is the average number of children born in South Australia to each marriage. This is above the average in England and below that of Ireland. It will be seen, however, that during the last seven years the proportion in South Australia has, on the whole, been showing a decidedly downward tendency, though there was a slight improvement in 1904.

According to the “Victorian Year Book,” 1895-8, the average proportions in the other Australian States and New Zealand were as follows :—

Tasmania	4.96	New South Wales	4.76
New Zealand	4.93	Western Australia	4.49
Queensland	4.81	Victoria	4.23

The averages, however, in all these cases would probably be lower if the marriages and the births of the years since 1898 were taken into account in the calculations.

GENERAL RESULTS OF THE YEAR FOR THE STATE.

Viewed as a whole, 1905 was only an indifferent year with respect to births, but it showed remarkable improvement in regard to marriages and increase of population; while in reference to its mortality record it was, like 1904, one of the most favorable years the State has ever known.

ADELAIDE AND SUBURBS.

As explained in the annual report of 1888, by “Adelaide and suburbs” is meant an area consisting of the four registration districts of Adelaide, Norwood, Hindmarsh, and Port Adelaide. Within this area (which is 262 square miles in extent) there are, in addition to the city of Adelaide and the city of Port Adelaide, seven corporate towns and many other towns and villages. The estimated population of Adelaide and suburbs on December 31st, 1905, was 173,235 (82,581 males and 90,654 females), being more by 2,506 than the estimated population at the beginning of the year. The estimated mean population of the year was 171,982 (82,035 males and 89,947 females). The births registered during the year numbered 3,850 (1,949 males and 1,901 females); the deaths, 2,013 (1,060 males and 953 females); and the marriages, 1,339. The births were fewer by 166, the deaths fewer by 9, and the marriages more by 41 than those recorded in the previous year. The birth rate per 1,000 of the mean population was 22.39, the death rate 11.70, and the marriage rate 7.79. The birth rate was lower by 1.43, the death rate higher by 1.56, and the marriage rate higher by 0.79 than the corresponding rates for the whole State. The birth, death, and marriage rates for fourteen years are here appended :—

	Births.	Deaths.	Marriages.
1892	32.21	13.81	8.24
1893	32.49	17.34	7.91
1894	30.24	13.66	7.50
1895	30.41	14.56	7.51
1896	29.04	14.20	7.98
1897	27.40	14.23	7.28
1898	25.40	16.44	7.84
1899	26.54	14.40	8.00
1900	25.65	12.74	7.49
1901	24.23	13.13	7.58
1902	23.70	13.82	7.78
1903	22.70	12.67	7.13
1904	23.71	11.94	7.66
1905	22.39	11.70	7.79

The following table shows the rates of infantile mortality in Adelaide and suburbs in the years specified—that is, the proportion of deaths of children under 1 year of age to 100 births registered :—

1886	15.75	1896	12.19
1887	13.68	1897	13.35
1888	11.58	1898	16.81
1889	11.58	1899	11.79
1890	11.95	1900	11.85
1891	11.88	1901	11.73
1892	11.79	1902	11.26
1893	12.59	1903	11.11
1894	10.60	1904	8.09
1895	12.16	1905	7.98

It will be seen that in every one of these years the rate was higher than the corresponding rate for the whole State shown in a previous table. It will be seen, too, that, as happened also in the case of the whole State, the rates in 1904 and 1905 showed a remarkable decline.

For comparison, the birth and death rates (inclusive, at least as far as the first seven towns are concerned, of all births and deaths in public institutions) per 1,000 of the mean population of the Australasian capital cities and suburbs and of several of the largest towns in Great Britain are here given. The figures for the British towns have been taken from the returns of the Registrar-General of England, while those for the Australasian

Australasian capitals have for the most part been extracted from special returns, which, on application, were supplied to this office by the statistical authorities of the different Australian States and New Zealand:—

	Births, 1905.	Deaths, 1905.		Births, 1905.	Deaths, 1905.
Adelaide	22·39	11·70	Greater London	27·5	14·4
Melbourne	23·33	12·88	Manchester	29·5	18·0
Sydney	26·27	11·01	Liverpool	33·3	19·6
Brisbane	25·64	12·14	Birmingham	29·3	16·2
Perth	38·17	16·28	Leeds	27·1	15·2
Hobart	28·87	17·10	Edinburgh	23·1	16·2
Wellington	29·38	10·21	Glasgow	31·1	17·9

CITY OF ADELAIDE.

The estimated population of the city on December 31st, 1905, was 39,905 (18,586 males and 21,319 females), being an increase of 140 for the whole year. The births registered in 1905 numbered 854, being fewer by 8 than those of the previous year; and the deaths 842, being more by 33 than those of the previous year. In several of the numbered tables accompanying this report (particularly tables 21, 22, and 23) will be found statistics referring specially to the city.

The statistical authorities of the different Australian States and New Zealand do not agree as to how far births and deaths occurring in public institutions, such as hospitals, asylums, gaols, &c., should be included, or whether any of them at all should be included, in the calculation of the birth and death rates of cities or other large towns. Nor, in reference to this matter, are they agreed as to what institutions should be comprehended under the description "public," some giving a much wider meaning to the term "public institutions" than others do. The only comparison, therefore, that can be conveniently made between the birth and death rates of the city of Adelaide and those of other large Australasian towns is one between the rates inclusive of all births and deaths in public institutions. The following figures show the rates per 1,000 of mean population in the towns named, exclusive of suburbs. They are in all cases the rates inclusive of all births and deaths in public institutions:—

	Births, 1905.	Deaths, 1905.		Births, 1905.	Deaths, 1905.
Adelaide	21·44	21·14	Brisbane	26·24	15·71
Melbourne	30·27	24·74	Hobart	30·59	14·36
Bendigo	33·56	19·62	Launceston	31·45	15·24
Ballarat	25·73	18·99	Wellington	29·72	10·55
Geelong	25·53	15·56	Dunedin	23·90	11·13
Sydney	21·97	12·84	Auckland	30·06	12·15

The marriages celebrated in the city of Adelaide in 1905 numbered 542. The marriage rate (that is, the rate of marriages, not of persons married) per 1,000 of the mean population was 13·61. It is probable, however, that not half of the persons married in the city had their usual residence therein.

From many points of view it is no doubt an advantage to the city of Adelaide that it is the only great medical centre in South Australia—the only place, in fact, where sick people and invalids of every class can easily obtain all the special medical aid and nursing attendance and other conveniences which they need or think they need. Its attraction, however, in this respect, has necessarily one very undesirable effect—it leads to its mortality record being very much higher than it otherwise would be. In 1905, for instance, the *gross* death rate of Adelaide reached 21·14 per 1,000 of the mean population. If, however, as shown in table 23 accompanying this report, the deaths in the Adelaide Hospital, the Consumptive Home, and the Destitute Asylum of persons not usually resident in the city be excluded, the rate falls considerably—it comes down to 15·44. Further, if the deaths in the Children's Hospital, private hospitals, nursing homes, and similar places of persons whose usual homes were not in Adelaide be also eliminated, the rate comes down to 13·13. But, in addition to these facts, it would be necessary, before a correct view of the city mortality could be obtained, to know how many deaths occurred in private residences, hotels, and ordinary lodging-houses of persons who had come or been brought into Adelaide for the very reason that they were seriously ill or ailing in some way. That its attraction as a medical centre is the chief reason—if it is not, indeed, the only one—why the city of Adelaide, compared with the remainder of South Australia, has so high a death record will, perhaps, be more apparent and more readily admitted if it be remembered that it is not possible to name with certainty or even suggest any other sufficient cause or causes that would not be equally operative in the eight suburban municipalities taken collectively; and yet in 1905 the combined gross death rate of these towns was only 8·88.

CORPORATE TOWNS.

In table No. 25 accompanying this report will be found the usual statistics with respect to the populations, births, and deaths of twenty-three corporate towns, including the city of Adelaide. The birth and death rates per 1,000 of mean population in the towns referred to in the table, taken in groups, were as follows:—

	Births, 1905.	Deaths, 1905.
Municipality of Adelaide	21·44	21·14
Eight suburban corporate towns	22·92	8·88
Fourteen outside corporate towns	35·30	12·71
Twenty-three towns collectively	25·10	12·78

NORTHERN TERRITORY.

The following table shows the estimated population of the Northern Territory (exclusive of full-blood aborigines) in the year 1905:—

	Males.		Females.		Totals.
Estimated population, January 1st, 1905	3,452	578	4,030
Births during the year	23	13	36
Immigration by sea during the year	484	92	576
	3,959	683	4,642
Deaths during the year	38	5	43
	3,921	678	4,599
Emigration by sea during the year (plus 5 per cent.)	675	114	789
	3,246	564	3,810
Estimated population, December 31st, 1905	3,246	564	3,810
Estimated mean population of the year	3,373	578	3,951

The following table shows the estimated population (exclusive of full-blood aborigines) divided into persons of European race and those of other races :—

	Males.		Females.		Totals.
Europeans—January 1st, 1905	927	402	1,329
“ “ December 31st, 1905.....	910	412	1,322
Asiatics (chiefly Chinese) and others—January 1st, 1905.....	2,525	176	2,701
“ “ “ December 31st, 1905 ..	2,336	152	2,488

The births registered in 1905 numbered 36 (23 males and 13 females), and the deaths 43 (38 males and 5 females). Of these the European births were 16 (9 males and 7 females), and the European deaths 18 (17 males and 1 female). There were 5 marriages.

The general birth rate per 1,000 of the mean population was 9·11; the death rate 10·88; and the marriage rate 1·27. The European birth rate per 1,000 of the mean European population was 12·10; and the death rate 13·62. No inference, however, of statistical value can be drawn from these rates, owing to the smallness of the numbers dealt with and the abnormal state of the population in regard to the distribution of sex and age.

The following table shows the causes of deaths in the Territory, arranged as nearly as possible in the usual nosological order of sequence, and the number and ages of the deceased :—

Causes of Death.	All Ages.			Under 1 Year.	1—5.	5—10.	10—20.	20—40.	40—60.	60—80.	80 and Up- wards.	Not Stated.
	Total.	M.	F.									
	43	38	5	4	1	—	—	8	20	10	—	—
Septicæmia	1	1	—	1	—	—	—	—	—	—	—	—
Alcoholism	1	1	—	—	—	—	—	—	1	—	—	—
Phthisis and other tuberculosis	1	1	—	—	—	—	—	—	—	1	—	—
Anaemia	1	—	1	—	—	—	—	1	—	—	—	—
Convulsions	1	1	—	1	—	—	—	—	—	—	—	—
Diseases of circulatory system	3	2	1	—	—	—	—	2	—	1	—	—
Asthma	1	1	—	—	—	—	—	1	—	—	—	—
Bronchitis	1	1	—	1	—	—	—	—	—	—	—	—
Pulmonary disease.....	2	2	—	—	—	—	—	—	1	1	—	—
Abscess in throat	1	1	—	—	—	—	—	—	—	1	—	—
Enteritis	1	1	—	—	1	—	—	—	—	—	—	—
Hernia.....	1	1	—	—	—	—	—	—	1	—	—	—
Liver disease	1	1	—	—	—	—	—	—	—	1	—	—
Fracture and contusion (accidental)....	2	2	—	—	—	—	—	—	2	—	—	—
Drowning (accidental)	1	1	—	—	—	—	—	—	1	—	—	—
Murder, manslaughter	5	4	1	—	—	—	—	2	3	—	—	—
Suicide, undefined	1	1	—	—	—	—	—	—	1	—	—	—
Dropsy	1	1	—	—	—	—	—	—	1	—	—	—
Undefined or ill-defined	17	15	2	1	—	—	—	2	9	5	—	—

AREA OF SOUTH AUSTRALIA.

	Acres.	Square Miles.
South Australia proper	243,244,800	380,070
Northern Territory	335,116,800	523,620
Total	578,361,600	903,690

COMPARATIVE STATISTICS.

The following tabular statement shows the rates of births, deaths, and marriages per 1,000 of mean population in the Australian States, New Zealand, the different parts of the United Kingdom, and several other countries. The figures in the first seven lines have been taken from the returns of the statistical authorities of the different places named—for the most part from returns which, on application, were specially supplied to this office. The remainder of the figures have either been extracted unaltered or been deduced by calculation from the returns of the Registrar-General of England, who obtains his information respecting other countries from the several official authorities of those countries.

		Births.		Deaths.		Marriages.
South Australia	1905	23·82	..	10·14	..	7·00
Victoria	1905	24·83	..	12·10	..	7·24
New South Wales	1905	26·72	..	10·13	..	7·42
Queensland	1905	25·92	..	10·47	..	6·04
Western Australia	1905	30·30	..	10·83	..	8·48
Tasmania	1905	29·32	..	10·28	..	7·61
New Zealand	1905	27·22	..	9·27	..	8·28
United Kingdom (as a whole)	1904	27·5	..	16·5	..	7·30
England and Wales.....	1904	27·9	..	16·2	..	7·60
Ireland	1904	23·6	..	18·1	..	5·20
Scotland	1904	28·6	..	16·8	..	6·95
France	1904	20·9	..	19·4	..	7·60
The German Empire	1903	33·9	..	20·0	..	7·90
Prussia separately	1904	34·7	..	19·3	..	8·10
Austria	1903	35·1	..	23·8	..	7·80
Italy	1904	32·7	..	21·0	..	7·45
Switzerland	1903	27·7	..	17·6	..	7·45
Belgium.....	1903	27·7	..	17·1	..	7·91
The Netherlands	1904	31·4	..	15·9	..	7·35
Norway	1904	28·2	..	14·4	..	5·95
Sweden	1904	25·8	..	15·3	..	5·85
Denmark	1904	28·9	..	14·1	..	7·15
Hungary	1904	37·0	..	24·8	..	9·10

The rates for Spain, though an important country, have not been given in this table, because in the returns accessible they are not calculated on mean populations, and no data are given by means of which this defect could be remedied. The deaths of French persons abroad, civil and military, are registered in France, and this may have the effect of causing the death rate there to be somewhat overstated. It will be seen that in the comparative statement as it stands South Australia shows the third lowest birth rate, the sixth lowest marriage rate, and the third lowest death rate. If, however, the Australian States and New Zealand alone are considered, South Australia shows the lowest birth rate, the second lowest marriage rate, and the third lowest death rate.

The following table shows the estimated population in each of the six Australian States and New Zealand on December 31st, 1905. The numbers given are, in regard to the States, *exclusive of full-blood aborigines*, and in the case of New Zealand, of the Maoris :—

	Males.		Females.		Total.
New South Wales	791,949	699,814	1,491,763
Victoria	609,674	608,897	1,218,571
Queensland	290,206	237,842	528,048
South Australia proper	194,241	180,157	374,398
“ Northern Territory.....	3,246	564	3,810
Western Australia	150,495	104,284	254,779
Tasmania	93,469	87,636	181,105
	2,133,280		1,919,194		4,052,474
New Zealand	467,366	415,096	882,462
	2,600,646		2,334,290		4,934,936

I have, &c.,

The Hon. the Chief Secretary.

G. H. AYLIFFE, Registrar-General of Births, &c.

THE WEATHER AND THE MORTALITY IN THE CITY OF ADELAIDE.

Table showing Readings of the Meteorological Instruments at the Adelaide Observatory and the Registered Mortality within the Municipal Boundaries of the City of Adelaide, in each Month of the Year 1905.

Month.	Thermometer — Fahr. (in shade).			Barometer.			Rain.		Deaths from all Causes.										
									Ages.						Including Deaths from				
	Maximum.	Minimum.	Mean.	Maximum.	Minimum.	Mean.	Total Fall.	No. of Days Rain Fell.	All Ages.	Under 1 Year.	1—5.	5—60.	60—80.	80 and Upwards.	Diphtheria.	Enteric Fever.	Diarrhoea and Dysentery.	All Tubercular Diseases.	Diseases of Res- piratory System.
January ...	109·7	51·3	74·8	30·052	29·404	29·747	1·51	6	102	14	2	41	34	11	2	—	4	9	7
February .	105·4	46·4	69·1	30·144	29·560	29·932	·25	3	61	8	1	31	15	6	—	3	2	12	2
March	101·6	46·7	67·6	30·240	29·720	30·025	·15	4	61	13	3	31	8	6	1	—	1	8	6
April.....	91·7	47·0	64·6	30·300	29·654	30·032	3·66	11	70	10	3	33	23	1	1	—	2	11	3
May	85·2	40·8	59·4	30·367	29·193	29·927	3·58	11	75	8	3	40	20	4	—	3	1	10	4
June	64·2	40·9	53·7	30·404	29·416	30·926	3·71	19	71	12	3	39	12	5	—	1	1	10	6
July	66·0	36·3	51·6	30·340	29·306	30·005	3·32	22	51	8	1	27	11	4	—	—	—	9	7
August ...	68·8	34·8	51·5	30·486	29·550	30·010	1·48	15	72	3	2	33	26	8	—	1	1	9	2
September.	75·1	35·9	52·0	30·290	29·365	29·910	1·51	17	67	4	4	29	26	4	—	—	—	9	6
October	77·0	38·9	55·2	30·266	29·520	29·885	2·90	18	73	4	1	29	30	9	—	—	1	4	6
November .	92·4	42·9	63·3	30·258	29·424	29·904	·15	2	74	1	1	39	29	4	—	1	—	10	7
December..	106·0	45·8	70·4	30·113	29·488	29·850	·06	3	65	7	—	36	17	5	—	—	1	8	4
Totals	22·28	131	842	92	24	408	251	67	4	9	14	109	60

NOTE.—This table is intended to afford the means of comparing the weather and its changes with the general mortality, the mortality among young children and old people, and the mortality from certain diseases, the malignancy of which depends, it is believed, very much on the state of the weather.

G. H. AYLIFFE, Registrar-General of Births, &c.

APPENDICES.

BIRTHS, MARRIAGES, AND DEATHS.

No 1.—RETURN showing the Number of Births, Marriages, and Deaths which were registered in South Australia (exclusive of the Northern Territory) in the Year 1905, and the Proportion of Births, Marriages, and Deaths to every thousand persons living.

Districts.	Total Number of—			Proportion to every Thousand of the Mean Population of—			
	Births.	Marriages.	Deaths.	Births.	Marriages.	Deaths.	
Metropolitan {	City of Adelaide	854	542	842	21·44	13·61	21·14
	Suburbs “	2,996	797	1,171	22·67	6·03	8·86
Total Metropolitan		3,850	1,339	2,013	22·39	7·79	11·70
Extra-Metropolitan		4,982	1,255	1,748	25·06	6·31	8·79
Total South Australia.....		8,832	2,594	3,761	23·82	7·00	10·14

No. 2.—DECENNIAL RETURN showing the proportion of Births, Marriages, and Deaths in South Australia (exclusive of the Northern Territory) to the estimated Mean Population.

Year.	Proportion to every Thousand of the Population of—		
	Births.	Marriages.	Deaths.
1896	29·04	6·33	11·71
1897	27·69	5·66	11·54
1898	25·79	6·38	13·48
1899	26·72	6·44	12·53
1900	25·81	6·51	10·65
1901	25·39	6·44	11·11
1902	24·80	6·60	11·77
1903	23·43	6·25	10·71
1904	24·89	6·91	10·17
1905	23·82	7·00	10·14

BIRTHS AND DEATHS.

No. 3.—RETURN showing the Number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Quarter of the Year 1905, and the Excess of Births over Deaths.

	Registered during Year.			Quarter.											
				March.			June.			September.			December.		
	Total.	Males.	Females.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Births	8,832	4,491	4,341	2,121	1,051	1,070	2,309	1,178	1,131	2,345	1,179	1,166	2,057	1,083	974
<i>Northern Territory</i>	<i>36</i>	<i>23</i>	<i>13</i>	<i>10</i>	<i>6</i>	<i>4</i>	<i>6</i>	<i>3</i>	<i>3</i>	<i>7</i>	<i>4</i>	<i>3</i>	<i>13</i>	<i>10</i>	<i>3</i>
Deaths	3,761	2,003	1,758	988	537	451	956	517	439	918	476	442	899	473	426
<i>Northern Territory</i>	<i>43</i>	<i>38</i>	<i>5</i>	<i>16</i>	<i>14</i>	<i>2</i>	<i>9</i>	<i>8</i>	<i>1</i>	<i>8</i>	<i>8</i>	<i>—</i>	<i>10</i>	<i>8</i>	<i>2</i>
Excess of Births over Deaths..	5,071	2,488	2,583	1,133	514	619	1,353	661	692	1,427	703	724	1,158	610	548
<i>N. Terr</i>	<i>-7</i>	<i>-15</i>	<i>8</i>	<i>-6</i>	<i>-8</i>	<i>2</i>	<i>-3</i>	<i>-5</i>	<i>2</i>	<i>-1</i>	<i>-4</i>	<i>3</i>	<i>3</i>	<i>2</i>	<i>1</i>

No. 4.—RETURN showing the Number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Month of the Year 1905.

Month.	Births.			Deaths.		
	Total.	Males.	Females.	Total.	Males.	Females.
January	671	336	335	404	222	182
February	705	355	350	286	145	141
March	745	360	385	298	170	128
April	<i>2121</i> 679	<i>1051</i> 353	<i>1070</i> 326	<i>988</i> 291	<i>537</i> 156	<i>451</i> 135
May	770	376	394	331	173	158
June	860	449	411	334	188	146
July	801	392	409	309	160	149
August	803	409	394	305	152	153
September	741	378	363	304	164	140
October	678	352	326	303	163	140
November	710	373	337	288	155	133
December	669	358	311	308	155	153
Total	8,832	4,491	4,341	3,761	2,003	1,758

No. 5.—COMPARATIVE RETURN showing the number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Month of the Years 1904 and 1905.

MONTHS.	BIRTHS.						CLASS.	DEATHS.								
	1904.			1905.				1904.			1905.					
	Males.	Females.	Total.	Males.	Females.	Total.		Males.	Females.	Total.	Males.	Females.	Total.			
January ...	340	321	661	336	335	671		All causes	177	161	338	222	182	404		
							I.	Zymotic diseases	20	23	43	15	22	37		
							II.	Parasitic diseases	—	1	1	—	1	1		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	17	39	56	28	33	61		
							V.	Developmental diseases	17	18	35	24	30	54		
							VI.	Local diseases	86	65	151	102	80	182		
							VII.	Violence	21	6	27	41	10	51		
							VIII.	Ill-defined or not specified causes ..	16	9	25	—	—	—		
February...	341	316	657	355	350	705		All causes	163	114	277	145	141	286		
							I.	Zymotic diseases	19	15	34	24	17	41		
							II.	Parasitic diseases	2	—	2	1	—	1		
							III.	Dietic diseases	1	—	1	—	—	—		
							IV.	Constitutional diseases	29	22	51	27	27	54		
							V.	Developmental diseases	21	15	36	25	26	51		
							VI.	Local diseases	69	55	124	53	61	114		
							VII.	Violence	11	1	12	10	3	13		
							VIII.	Ill-defined or not specified causes ..	11	6	17	5	7	12		
March	424	378	802	360	385	745		All causes	171	147	318	170	128	298		
							I.	Zymotic diseases	9	10	19	16	15	31		
							II.	Parasitic diseases	2	—	2	3	—	3		
							III.	Dietic diseases	2	2	4	—	—	—		
							IV.	Constitutional diseases	26	32	58	29	23	52		
							V.	Developmental diseases	20	16	36	21	19	40		
							VI.	Local diseases	91	75	166	75	59	134		
							VII.	Violence	14	4	18	15	3	18		
							VIII.	Ill-defined or not specified causes ..	7	8	15	11	9	20		
April.....	385	374	759	353	326	679		All causes	172	126	298	156	135	291		
							I.	Zymotic diseases	14	17	31	12	15	27		
							II.	Parasitic diseases	2	—	2	1	—	1		
							III.	Dietic diseases	1	—	1	3	1	4		
							IV.	Constitutional diseases	26	22	48	26	29	55		
							V.	Developmental diseases	21	19	40	16	24	40		
							VI.	Local diseases	78	54	132	73	60	133		
							VII.	Violence	15	7	22	19	4	23		
							VIII.	Ill-defined or not specified causes ..	15	7	22	6	2	8		
May	414	372	786	376	394	770		All causes	180	159	339	173	158	331		
							I.	Zymotic diseases	12	10	22	9	7	16		
							II.	Parasitic diseases	1	—	1	—	1	1		
							III.	Dietic diseases	1	1	2	2	—	2		
							IV.	Constitutional diseases	29	35	64	25	41	66		
							V.	Developmental diseases	28	24	52	20	16	36		
							VI.	Local diseases	80	73	153	88	78	166		
							VII.	Violence	15	10	25	17	3	20		
							VIII.	Ill-defined or not specified causes ..	14	6	20	12	12	24		
June	454	450	904	449	411	860		All causes	188	157	345	188	146	334		
							I.	Zymotic diseases	15	15	30	7	7	14		
							II.	Parasitic diseases	—	—	—	1	1	2		
							III.	Dietic diseases	1	—	1	1	—	1		
							IV.	Constitutional diseases	28	20	48	30	28	58		
							V.	Developmental diseases	28	24	52	24	19	43		
							VI.	Local diseases	99	90	189	98	78	176		
							VII.	Violence	11	4	15	17	5	22		
							VIII.	Ill-defined or not specified causes ..	6	4	10	10	8	18		
July	393	405	798	392	409	801		All causes	162	152	314	160	149	309		
							I.	Zymotic diseases	10	13	23	4	6	10		
							II.	Parasitic diseases	—	—	—	—	—	—		
							III.	Dietic diseases	1	—	1	—	—	—		
							IV.	Constitutional diseases	25	38	63	22	39	61		
							V.	Developmental diseases	30	21	51	21	27	48		
							VI.	Local diseases	79	65	144	92	66	158		
							VII.	Violence	13	7	20	16	5	21		
							VIII.	Ill-defined or not specified causes ..	4	8	12	5	6	11		
August.....	414	379	793	409	394	803		All causes	160	161	321	152	153	305		
							I.	Zymotic diseases	7	9	16	6	3	9		
							II.	Parasitic diseases	—	—	—	—	1	1		
							III.	Dietic diseases	—	—	—	1	—	1		
							IV.	Constitutional diseases	21	32	53	21	40	61		
							V.	Developmental diseases	21	24	45	17	32	49		
							VI.	Local diseases	87	88	175	95	73	168		
							VII.	Violence	15	3	18	10	2	12		
							VIII.	Ill-defined or not specified causes ..	9	5	14	2	2	4		
September	375	383	758	378	363	741		All causes	168	126	294	164	140	304		
							I.	Zymotic diseases	10	8	18	5	8	13		
							II.	Parasitic diseases	1	—	1	1	2	3		
							III.	Dietic diseases	1	—	1	—	—	—		
							IV.	Constitutional diseases	33	31	64	28	34	62		
							V.	Developmental diseases	15	16	31	21	20	41		
							VI.	Local diseases	89	64	153	89	66	155		
							VII.	Violence	16	5	21	18	5	23		
							VIII.	Ill-defined or not specified causes ..	3	2	5	2	5	7		
October ...	391	337	728	352	326	678		All causes	156	136	292	163	140	303		
							I.	Zymotic diseases	12	10	22	3	6	9		
							II.	Parasitic diseases	1	2	3	3	1	4		
							III.	Dietic diseases	—	—	—	—	—	—		
							IV.	Constitutional diseases	21	30	51	30	39	69		
							V.	Developmental diseases	23	20	43	21	22	43		
							VI.	Local diseases	81	70	151	87	66	153		
							VII.	Violence	12	2	14	16	5	21		
							VIII.	Ill-defined or not specified causes ..	6	2	8	3	1	4		
November .	364	341	705	373	337	710		All causes	137	113	250	155	133	288		
							I.	Zymotic diseases	7	6	13	8	5	13		
							II.	Parasitic diseases	—	—	—	—	—	—		
							III.	Dietic diseases	—	—	—	1	—	1		
							IV.	Constitutional diseases	25	26	51	35	21	56		
							V.	Developmental diseases	24	17	41	24	27	51		
							VI.	Local diseases	62	52	114	72	72	144		
							VII.	Violence	16	5	21	13	7	20		
							VIII.	Ill-defined or not specified causes ..	3	7	10	2	1	3		
December .	370	379	749	358	311	669		All causes	185	148	333	155	153	308		
							I.	Zymotic diseases	10	15	25	9	9	18		
							II.	Parasitic diseases	1	—	1	—	1	1		
							III.	Dietic diseases	3	—	3	2	1	3		
							IV.	Constitutional diseases	30	33	63	19	31	50		
							V.	Developmental diseases	20	23	43	19	18	37		
							VI.	Local diseases	94	64	158	90	81	171		
							VII.	Violence	13	7	20	14	6	20		
							VIII.	Ill-defined or not specified causes ..	14	6	20	2	6	8		

No. 6.—COMPARATIVE RETURN showing the number of Births and Deaths (including all those in Public Institutions) Registered in the City of Adelaide in each Month of the Years 1904 and 1905.

MONTH.	BIRTHS.						CLASS.	Cause of Death.	DEATHS.					
	1904.			1905.					1904.			1905.		
	Males.	Females.	Total.	Males.	Females.	Total.			Males.	Females.	Total.	Males.	Females.	Total.
January ...	25	43	68	35	35	70	I. All causes	41	36	77	54	48	102	
							II. Zymotic diseases	5	6	11	2	8	10	
							III. Parasitic diseases	—	—	—	—	—	—	
							IV. Dietic diseases	—	8	—	8	11	19	
							V. Constitutional diseases	3	4	9	6	11	17	
							VI. Developmental diseases	5	12	35	26	16	42	
							VII. Local diseases	23	1	2	10	1	11	
							VIII. Violence	1	5	9	2	1	3	
							IX. Ill-defined or not specified causes ..	4	—	—	—	—	—	
February...	33	29	62	38	36	74	I. All causes	31	18	49	37	24	61	
							II. Zymotic diseases	3	1	4	4	3	7	
							III. Parasitic diseases	2	—	2	—	—	—	
							IV. Dietic diseases	—	—	—	—	—	—	
							V. Constitutional diseases	7	4	11	10	7	17	
							VI. Developmental diseases	3	—	3	8	3	11	
							VII. Local diseases	14	13	27	9	10	19	
							VIII. Violence	—	—	—	6	—	6	
							IX. Ill-defined or not specified causes ..	2	—	2	—	1	1	
March	41	32	73	38	37	75	I. All causes	35	28	63	36	25	61	
							II. Zymotic diseases	—	—	—	1	1	2	
							III. Parasitic diseases	1	—	1	2	—	2	
							IV. Dietic diseases	—	—	—	—	—	—	
							V. Constitutional diseases	6	4	10	8	6	14	
							VI. Developmental diseases	7	5	12	3	3	6	
							VII. Local diseases	15	17	32	18	11	29	
							VIII. Violence	4	2	6	2	—	2	
							IX. Ill-defined or not specified causes ..	2	—	2	2	4	6	
April	37	33	70	27	41	68	I. All causes	26	24	50	46	24	70	
							II. Zymotic diseases	—	2	2	3	4	7	
							III. Parasitic diseases	1	—	1	1	—	1	
							IV. Dietic diseases	—	—	—	—	—	—	
							V. Constitutional diseases	7	4	11	10	9	19	
							VI. Developmental diseases	6	5	11	5	2	7	
							VII. Local diseases	6	11	17	18	9	27	
							VIII. Violence	5	2	7	8	—	8	
							IX. Ill-defined or not specified causes ..	1	—	1	1	—	1	
May	39	37	76	31	33	64	I. All causes	42	38	80	39	36	75	
							II. Zymotic diseases	2	2	4	3	4	7	
							III. Parasitic diseases	—	—	—	—	1	1	
							IV. Dietic diseases	1	1	2	1	—	1	
							V. Constitutional diseases	10	8	18	11	10	21	
							VI. Developmental diseases	8	3	11	4	2	6	
							VII. Local diseases	14	21	35	17	17	34	
							VIII. Violence	3	2	5	2	1	3	
							IX. Ill-defined or not specified causes ..	4	1	5	1	1	2	
June.....	42	52	94	34	42	76	I. All causes	42	37	79	40	31	71	
							II. Zymotic diseases	3	3	6	1	1	2	
							III. Parasitic diseases	—	—	—	—	—	—	
							IV. Dietic diseases	1	—	1	—	—	—	
							V. Constitutional diseases	8	4	12	10	4	14	
							VI. Developmental diseases	7	8	15	2	6	8	
							VII. Local diseases	20	19	39	25	17	42	
							VIII. Violence	2	1	3	—	1	1	
							IX. Ill-defined or not specified causes ..	1	2	3	2	2	4	
July	31	35	66	39	42	81	I. All causes	29	29	58	33	18	51	
							II. Zymotic diseases	1	1	2	1	—	1	
							III. Parasitic diseases	—	—	—	—	—	—	
							IV. Dietic diseases	—	—	—	—	—	—	
							V. Constitutional diseases	4	9	13	8	6	14	
							VI. Developmental diseases	6	5	11	5	2	7	
							VII. Local diseases	16	13	29	18	8	26	
							VIII. Violence	1	—	1	—	1	1	
							IX. Ill-defined or not specified causes ..	1	1	2	1	1	2	
August.....	39	36	75	50	38	88	I. All causes	39	42	81	44	28	72	
							II. Zymotic diseases	—	3	3	2	—	2	
							III. Parasitic diseases	—	—	—	—	1	1	
							IV. Dietic diseases	—	—	—	1	—	1	
							V. Constitutional diseases	6	12	18	7	9	16	
							VI. Developmental diseases	5	7	12	9	4	13	
							VII. Local diseases	24	19	43	22	14	36	
							VIII. Violence	3	—	3	2	—	2	
							IX. Ill-defined or not specified causes ..	1	1	2	1	—	1	
September.	35	43	78	34	44	78	I. All causes	40	27	67	38	29	67	
							II. Zymotic diseases	2	2	4	—	1	1	
							III. Parasitic diseases	—	—	—	—	1	1	
							IV. Dietic diseases	—	—	—	—	—	—	
							V. Constitutional diseases	10	8	18	9	10	19	
							VI. Developmental diseases	4	3	7	5	3	8	
							VII. Local diseases	18	14	32	19	12	31	
							VIII. Violence	4	—	4	3	1	4	
							IX. Ill-defined or not specified causes ..	2	—	2	2	1	3	
October ...	32	38	70	29	33	62	I. All causes	28	31	59	49	24	73	
							II. Zymotic diseases	3	4	7	1	1	2	
							III. Parasitic diseases	—	—	—	3	—	3	
							IV. Dietic diseases	—	—	—	—	—	—	
							V. Constitutional diseases	7	15	22	6	9	15	
							VI. Developmental diseases	5	2	7	5	4	9	
							VII. Local diseases	13	10	23	29	10	39	
							VIII. Violence	—	—	—	5	—	5	
							IX. Ill-defined or not specified causes ..	—	—	—	—	—	—	
November .	27	27	54	27	27	54	I. All causes	41	22	63	43	31	74	
							II. Zymotic diseases	3	1	4	2	1	3	
							III. Parasitic diseases	—	—	—	—	—	—	
							IV. Dietic diseases	—	—	—	—	—	—	
							V. Constitutional diseases	11	7	18	11	5	16	
							VI. Developmental diseases	4	1	5	6	4	10	
							VII. Local diseases	19	7	26	22	19	41	
							VIII. Violence	4	3	7	2	2	4	
							IX. Ill-defined or not specified causes ..	—	3	3	—	—	—	
December...	39	37	76	36	28	64	I. All causes	58	25	83	29	36	65	
							II. Zymotic diseases	2	—	2	1	1	2	
							III. Parasitic diseases	1	—	1	—	1	1	
							IV. Dietic diseases	3	—	3	1	—	1	
							V. Constitutional diseases	12	4	16	5	14	19	
							VI. Developmental diseases	7	—	7	5	3	8	
							VII. Local diseases	30	20	50	13	15	28	
							VIII. Violence	1	—	1	3	1	4	
							IX. Ill-defined or not specified causes ..	2	1	3	1	1	2	

No. 7.—RETURN showing the number of Births and Deaths Registered in each Registration District (except the District of Palmerston, Northern Territory) in the Years 1901 to 1905, inclusive.

District.	Births.															Deaths.														
	1901.			1902.			1903.			1904.			1905.			1901.			1902.			1903.			1904.			1905.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
Adelaide	971	1,026	1,997	1,019	921	1,940	1,039	862	1,901	952	915	1,867	970	976	1,946	707	552	1,259	765	641	1,406	723	539	1,262	665	561	1,226	707	577	1,284
Willunga.....	18	20	38	16	32	48	34	21	55	29	24	53	19	26	45	11	8	19	10	6	16	14	3	17	15	5	20	7	18	25
Yankalilla.....	35	17	52	36	25	61	25	34	59	34	27	61	31	32	63	15	17	32	11	6	17	13	10	23	13	11	24	12	14	26
Encounter Bay	33	34	67	39	38	77	24	31	55	36	26	62	36	26	62	13	9	22	9	19	28	14	10	24	13	8	21	9	14	23
Strathalbyn	45	31	76	51	34	85	53	37	90	60	59	119	44	54	98	21	31	52	25	15	40	26	21	47	23	9	32	23	23	46
Robe	36	37	73	38	33	71	26	26	52	43	40	83	40	27	67	21	5	26	18	13	31	17	14	31	17	13	30	14	18	32
Grey	186	158	344	161	103	324	186	184	370	207	195	402	215	183	398	63	49	112	69	62	131	65	62	127	68	68	136	59	67	126
Wellington.....	77	64	141	76	72	148	76	76	152	69	62	131	73	78	151	20	14	34	23	12	35	17	16	33	23	7	30	18	19	37
Morphett Vale	53	37	90	40	47	87	36	26	62	42	32	74	36	41	77	13	11	24	18	15	33	17	14	31	21	11	32	17	17	34
Mount Barker	48	46	94	51	49	100	37	32	69	42	53	95	56	42	98	18	17	35	25	15	40	21	12	33	27	21	48	24	25	49
Nairne.....	77	94	171	82	77	159	84	85	169	88	95	183	82	79	161	32	22	54	23	26	49	26	23	49	27	28	55	42	27	69
Talunga.....	92	95	187	99	82	181	92	91	183	96	85	181	92	86	172	32	20	52	24	28	52	28	20	48	30	25	55	32	21	53
Highercombe.....	32	21	53	22	16	38	23	21	44	32	26	58	26	26	52	11	6	17	7	4	11	8	9	17	6	10	16	8	7	15
Port Gawler	59	62	121	68	57	125	57	59	116	52	58	110	58	46	104	24	26	50	25	23	48	17	18	35	21	26	47	22	19	41
Crawford.....	37	26	63	37	31	68	34	23	57	26	27	53	37	26	63	9	10	19	9	6	15	5	7	12	7	7	14	6	8	14
Barossa.....	129	111	240	105	92	197	121	93	214	100	107	207	93	105	198	40	31	71	42	49	91	45	48	93	43	27	70	39	32	71
Angaston.....	83	80	163	80	80	160	82	72	154	82	82	164	69	77	146	29	24	53	32	43	75	40	38	78	27	29	56	28	25	53
Kapunda.....	160	140	300	142	131	273	125	103	228	117	123	240	134	104	238	58	48	106	59	44	103	55	37	92	59	49	108	61	42	103
Gilbert	116	119	235	130	131	261	109	98	207	123	149	272	129	122	251	39	31	70	39	33	72	36	42	78	38	39	77	33	38	71
Barra	121	129	250	101	107	208	99	91	190	110	112	222	91	119	210	69	34	103	58	51	109	44	36	80	43	25	68	41	27	68
Clare	386	339	725	379	332	711	360	334	694	359	321	671	356	346	702	178	146	324	215	126	341	161	100	261	131	92	223	141	111	252
Flinders	94	108	202	84	88	172	98	86	184	101	91	192	106	113	219	35	18	53	41	19	60	30	19	49	28	19	47	29	15	44
Prome	337	319	656	302	283	585	256	236	492	295	274	569	256	222	478	130	93	223	132	99	231	130	86	216	101	76	177	112	72	184
Daly	389	372	761	436	408	844	404	351	755	447	414	861	437	443	880	157	112	269	180	136	316	139	133	272	168	127	295	154	140	294
Upper Wakefield	25	22	47	22	22	44	20	16	36	27	24	51	26	23	49	13	11	24	10	6	16	7	6	13	8	8	16	12	6	18
Port Adelaide	337	323	660	313	332	645	289	291	580	316	310	626	316	288	604	143	124	267	152	140	292	132	101	233	127	128	255	107	114	221
Hindmarsh.....	244	210	454	262	238	500	229	229	458	330	249	579	222	220	442	96	94	190	87	78	165	89	74	163	63	70	133	69	72	141
Norwood.....	445	374	819	388	427	815	446	493	849	489	455	944	441	417	858	209	205	414	208	205	413	252	204	456	207	201	408	177	190	367
Total	4,665	4,414	9,079	4,579	4,348	8,927	4,464	4,011	8,475	4,665	4,435	9,100	4,491	4,341	8,832	2,206	1,768	3,974	2,316	1,920	4,236	2,171	1,702	3,873	2,019	1,700	3,719	2,003	1,758	3,761

No. 8.—RETURN showing the Number of Births Registered in each Quarter of the Year 1905 in South Australia (exclusive of the Northern Territory), and the Excess of Births over Deaths.

Districts.	Births.							Number of Deaths.	Excess of Births over Deaths.
	Total.	Registered in the Quarter ended the last day of—				Males.	Females.		
		March.	June.	Sept.	Dec.				
Metropolitan { City of Adelaide	854	219	208	247	180	418	436	842	12
{ Suburbs of Adelaide	2,996	734	784	767	711	1,531	1,465	1,171	1,825
Extra-Metropolitan.....	4,982	1,168	1,317	1,331	1,166	2,542	2,440	1,748	3,234
Total.....	8,832	2,121	2,309	2,345	2,057	4,491	4,341	3,761	5,071

No. 9.—DECENNIAL RETURN showing the Number of Births Registered in South Australia (exclusive of the Northern Territory) in each Year; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—												Number of Deaths.	Excess of Births over Deaths.
				March.			June.			September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.		
1896	10,012	5,085	4,927	2,387	1,192	1,195	2,718	1,377	1,341	2,500	1,276	1,224	2,407	1,240	1,167	4,038	5,974
1897	9,535	4,881	4,654	2,339	1,201	1,138	2,361	1,198	1,163	2,556	1,338	1,218	2,279	1,144	1,135	3,973	5,562
1898	8,945	4,568	4,377	2,289	1,165	1,124	2,325	1,171	1,154	2,366	1,231	1,135	1,965	1,001	964	4,675	4,270
1899	9,397	4,841	4,556	2,226	1,129	1,097	2,542	1,316	1,226	2,492	1,281	1,211	2,137	1,115	1,022	4,406	4,991
1900	9,143	4,641	4,502	2,287	1,132	1,155	2,463	1,239	1,224	2,209	1,119	1,090	2,184	1,151	1,033	3,774	5,369
1901	9,079	4,665	4,414	2,228	1,155	1,073	2,327	1,175	1,152	2,370	1,244	1,126	2,154	1,091	1,063	3,974	5,105
1902	8,927	4,579	4,348	2,137	1,082	1,055	2,324	1,206	1,118	2,468	1,249	1,219	1,998	1,042	956	4,236	4,691
1903	8,475	4,464	4,011	2,058	1,061	997	2,183	1,164	1,019	2,158	1,142	1,016	2,076	1,097	979	3,873	4,602
1904	9,100	4,665	4,435	2,120	1,105	1,015	2,449	1,253	1,196	2,349	1,182	1,167	2,182	1,125	1,057	3,719	5,381
1905	8,832	4,491	4,341	2,121	1,051	1,070	2,309	1,178	1,131	2,345	1,179	1,166	2,057	1,083	974	3,761	5,071

No. 10.—DECENNIAL RETURN showing the Number of Births Registered in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.
Quarter ended March 31.....	2,387	2,339	2,289	2,226	2,287	2,228	2,137	2,058	2,120	2,121
June 30	2,718	2,361	2,325	2,542	2,463	2,327	2,324	2,183	2,449	2,309
September 30	2,500	2,556	2,366	2,492	2,209	2,370	2,468	2,158	2,349	2,345
December 31	2,407	2,279	1,965	2,137	2,184	2,154	1,998	2,076	2,182	2,057
Total	10,012	9,535	8,945	9,397	9,143	9,079	8,927	8,475	9,100	8,832

No. 11.—DECENNIAL RETURN showing the Number of Marriages celebrated in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.
Quarter ended March 31.....	537	515	571	545	563	562	631	489	608	635
June 30	584	508	588	587	655	657	652	611	661	637
September 30	504	501	514	569	512	540	556	599	641	653
December 31	558	425	541	564	575	545	537	561	616	669
Total	2,183	1,949	2,214	2,265	2,305	2,304	2,376	2,260	2,526	2,594

No. 12.—DECENNIAL RETURN showing the Number of Marriages celebrated in South Australia (exclusive of the Northern Territory).

Year.	Total.	Registered in the Quarter ended last day of—				Celebrated according to rites of—																	Contracted between—						
		March.	June.	September.	December.	Church of England.	Presbyterian.	Roman Catholic.	Lutheran.	Congrega- tionalist.	Methodist.*	Christian Brethren.	Church of Christ.	Free Presby- terian.	Baptist.	Seventh Day Adventist.	City Mission Church.	Moravians.	Jews.	Unitarians.	Registrars.	Officiating Registrars.	New Jerusalem Church.	Salvation Army.	Welsh Free Church.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
1896.....	2,183	537	584	504	558	465	110	249	138	118	733	12	62	3	137	2	—	1	7	1	104	5	9	25	2	1,914	76	132	61
1897.....	1,949	515	508	501	425	404	87	200	132	117	595	11	77	2	138	—	—	1	—	—	97	6	61	21	—	1,799	69	107	64
1898.....	2,214	571	588	514	541	443	74	276	145	106	687	14	72	3	117	2	—	4	4	1	84	40	117	25	—	1,901	92	148	73
1899.....	2,205	545	587	509	504	404	106	267	140	109	695	27	68	5	123	3	4	1	3	1	70	100	—	19	—	1,978	90	141	50
1900.....	2,305	593	655	512	575	531	123	221	154	135	712	35	91	—	140	2	12	2	3	—	84	35	—	25	—	2,018	60	144	83
1901.....	2,304	502	657	540	545	505	133	250	152	142	691	19	88	—	146	2	11	4	1	1	84	44	9	10	—	1,996	58	174	76
1902.....	2,376	631	652	556	537	468	109	202	155	115	751	25	90	1	170	1	25	3	1	3	90	14	39	24	—	2,089	89	130	68
1903.....	2,260	489	611	599	501	461	104	249	167	109	670	24	106	4	176	3	20	5	2	6	93	14	29	18	—	1,998	60	140	62
1904.....	2,526	608	661	641	616	519	128	264	147	104	825	17	105	3	200	1	24	2	4	3	100	11	37	32	—	2,228	65	161	72
1905.....	2,594	635	637	653	669	543	129	260	176	107	870	30	109	—	173	1	12	1	9	1	96	12	35	30	—	2,339	67	141	47

* For the first six years of this period the marriages in this column were shown under the headings "Wesleyan," "Bible Christian," and "Primitive Methodist," but these three denominations were amalgamated under the title "Methodist" on January 1st, 1902.

No. 13.—RETURN showing the Number of Persons Married, at different Ages, in South Australia (exclusive of the Northern Territory) in the Year 1905.

Ages	15—		16—		17—		18—		19—		20—		21—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70 and upwards.		Not stated.				Total.					
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total			
Celebrated in Quarter ended—																																												
March 31	—	1	—	3	1	10	1	20	6	57	12	56	178	221	235	180	104	46	52	18	19	13	11	6	5	1	5	1	2	2	2	—	2	—	—	—	—	—	—	635	635	1,270		
June 30	—	—	—	1	—	7	1	18	3	36	19	58	169	222	221	186	135	68	46	14	16	11	7	10	7	2	3	1	5	2	3	1	2	—	—	—	—	—	—	637	637	1,274		
Sept. 30	—	—	—	2	—	10	3	31	2	42	15	48	185	254	221	170	110	40	58	25	25	10	11	8	8	7	3	4	6	2	5	—	1	—	—	—	—	—	—	653	653	1,306		
Dec. 31	—	1	—	—	1	9	2	26	6	31	11	49	184	266	244	184	114	50	42	26	30	11	16	6	9	—	7	1	1	2	1	1	1	—	—	—	—	—	—	669	669	1,338		
Total	—	2	—	6	2	36	7	95	17	166	57	211	716	963	921	720	463	210	198	83	90	45	45	30	29	10	18	7	14	8	11	2	6	—	—	—	—	—	—	2,594	2,594	5,188		
Widowers and Spinsters	—	—	—	—	—	—	5	—	1	—	2	—	32	14	35	26	25	26	14	25	13	19	12	12	2	12	—	5	—	2	—	—	—	—	—	—	—	—	—	141	141	282		
Widowers and Widows	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	4	6	4	6	4	11	9	5	3	5	9	7	8	2	6	—	—	—	—	—	—	—	47	47	94		
Bachelors and Widows	—	—	—	—	—	—	—	—	—	—	1	4	4	14	9	16	16	12	15	8	11	8	6	3	2	1	2	—	1	1	—	—	—	—	—	—	—	—	—	67	67	134		
Signatures by marks	—	—	—	—	—	—	1	—	1	—	1	4	5	6	2	3	1	4	—	1	5	—	2	2	—	—	—	1	—	3	—	1	—	—	—	—	—	—	—	—	25	18	43	

No. 14.—RETURN showing the Number of Deaths registered in each Quarter of the Year 1905 in South Australia (exclusive of the Northern Territory), and the Excess of Births over Deaths.

Districts.	Total.	Males.	Females.	Registered in the Quarter ended last day of—				Number of Births.	Excess of Births over Deaths.
				March.	June.	September.	December.		
Metropolitan { City of Adelaide.....	842	488	354	224	216	190	212	854	12
{ Suburbs ".....	1,171	572	599	314	295	293	269	2,995	1,825
Extra-Metropolitan.....	1,748	943	805	450	445	435	418	4,982	3,234
Total	3,761	2,003	1,758	988	956	918	899	8,832	5,071

No. 15.—DECENNIAL RETURN showing the Number of Deaths registered in South Australia (exclusive of the Northern Territory) in each Year ; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—												Number of Births.	Excess of Births over Deaths.
				March.			June.			September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.		
1896.....	4,038	2,121	1,917	1,009	568	555	1,009	540	469	958	498	460	948	515	433	10,012	5,974
1897.....	3,973	2,192	1,781	1,314	550	459	978	530	448	875	510	365	1,111	602	509	9,535	5,562
1898.....	4,675	2,584	2,091	1,115	730	584	1,156	644	512	904	500	404	1,301	710	591	8,945	4,270
1899.....	4,406	2,362	2,044	1,008	610	505	1,137	636	501	898	458	440	1,256	658	598	9,397	4,991
1900.....	3,774	1,994	1,780	1,028	531	477	870	464	406	921	484	437	975	515	460	9,143	5,369
1901.....	3,974	2,206	1,768	981	557	471	912	509	403	1,037	586	451	997	554	443	9,079	5,105
1902.....	4,236	2,316	1,920	1,041	502	479	1,183	656	527	1,052	574	478	1,020	584	436	8,927	4,691
1903.....	3,873	2,171	1,702	972	545	427	940	532	408	1,009	560	449	952	534	418	8,475	4,602
1904.....	3,719	2,019	1,700	933	511	422	982	540	442	929	490	439	875	478	397	9,100	5,381
1905.....	3,761	2,003	1,758	988	537	451	956	517	439	918	476	442	899	473	426	8,832	5,071

No. 16.—DECENNIAL RETURN showing the Number of Deaths registered in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.
Quarter ended March 31	1,123	1,009	1,314	1,115	1,008	1,028	981	972	933	988
June 30	1,009	978	1,156	1,137	870	912	1,183	940	982	956
September 30	958	875	904	898	921	1,037	1,052	1,009	929	918
December 31.....	948	1,111	1,301	1,256	975	997	1,020	952	875	899
Total	4,038	3,973	4,675	4,406	3,774	3,974	4,236	3,873	3,719	3,761

No. 17.—DECENNIAL RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) in each Month.

Month.	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905
January	442	290	506	437	402	337	383	347	338	404
February	329	346	400	351	281	315	314	308	277	286
March	352	373	408	327	325	376	284	317	318	298
April	291	318	438	369	289	317	355	320	298	291
May.....	341	294	357	392	310	294	429	276	339	331
June	377	366	361	376	271	301	399	344	345	334
July.....	339	297	268	290	291	341	369	397	314	309
August	333	306	317	308	331	371	327	307	321	305
September	286	272	319	300	299	325	356	305	294	304
October	275	247	340	469	304	273	338	228	292	303
November	292	367	486	432	327	317	338	309	250	288
December	381	497	475	355	344	407	344	415	333	308
Total	4,038	3,973	4,675	4,406	3,774	3,974	4,236	3,873	3,719	3,761

No. 18.—DECENNIAL RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) at Different Periods of Age.

Years.	Age.																							
	Under 1 year.			1 and under 20.			20 and under 40.			40 and under 60.			60 and under 80.			80 and above.			Age unknown.			Totals.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
1896	557	458	1,015	279	320	599	323	361	684	379	258	637	459	373	832	123	104	270	1	—	1	2,121	1,917	4,038
1897	586	454	1,040	295	280	575	294	310	604	371	249	620	513	384	897	131	148	235	2	—	2	2,192	1,781	3,973
1898	726	525	1,251	407	391	798	345	338	683	404	267	671	555	422	977	145	160	293	2	—	2	2,584	2,091	4,675
1899	596	453	1,049	353	363	716	324	353	677	375	294	669	574	421	995	138	140	298	2	—	2	2,362	2,044	4,406
1900	471	440	911	273	277	550	266	297	563	369	257	626	475	368	843	139	140	279	1	1	2	1,994	1,780	3,774
1901	522	387	909	296	252	548	312	289	601	410	256	666	520	444	964	143	191	283	3	—	3	2,206	1,768	3,974
1902	465	372	837	413	342	755	294	289	583	409	265	674	561	461	1,022	173	106	364	1	—	1	2,316	1,920	4,236
1903	470	350	820	258	246	504	287	296	583	407	243	650	571	412	983	177	155	332	1	—	1	2,171	1,702	3,873
1904	350	287	637	266	210	476	256	307	563	383	259	642	564	464	1,028	200	173	373	—	—	—	2,019	1,700	3,719
1905	362	281	643	220	196	416	251	289	540	403	286	689	592	500	1,092	175	206	381	—	—	—	2,003	1,758	3,761

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1905.

Class.	Cause of Death.	MALES.																										
		Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
	ALL CAUSES	2,003	362	50	23	13	12	37	29	56	64	50	57	80	71	108	105	119	141	128	167	156	108	57	9	1		
I.	SPECIFIC FEBRILE OR ZY- MOTIC DISEASES	118	41	5	4	1	1	7	2	6	9	1	4	6	1	4	5	3	3	3	2	7	3					
II.	PARASITIC DISEASES.....	10	1											2	2		2	1	2									
III.	DIETIC DISEASES.....	10	3							1		2			1	1			1		1							
IV.	CONSTITUTIONAL DISEASES	320	6	2	3	1		6	5	17	19	22	19	27	12	29	28	30	32	22	21	14	4	1				
V.	DEVELOPMENTAL DISEASES	253	80	1										1					1	9	31	39	52	35	4			
VI.	LOCAL DISEASES	1,014	157	36	14	9	8	19	15	20	20	13	19	23	44	53	61	72	81	85	103	91	45	20	5	1		
VII.	VIOLENCE	206	14	4	1	2	3	5	7	12	14	12	15	20	10	21	8	13	18	9	8	5	4	1				
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	72	60	2	1						2			1	1		1		3		1							
I.	1. MIASMATIC DISEASES	52	6	3	1	1	1	6	2	5	9	1	4	5	1		1					4	2					
	2. DIARRHOEAL DISEASES.....	58	34	2	3			1						1		3	3	3	2	2		3	1					
	3. MALARIAL DISEASES	1															1											
	4. ZOOGENOUS DISEASES																											
	5. VENEREAL DISEASES	2														1				1	1							
	6. SEPTIC DISEASES	5	1							1											2							
II.	PARASITIC DISEASES	10	1											2	2		2	1	2									
III.	DIETIC DISEASES	10	3							1		2			1	1			1		1							
IV.	CONSTITUTIONAL DISEASES	320	6	2	3	1		6	5	17	19	22	19	27	12	29	28	30	32	22	21	14	4	1				
V.	DEVELOPMENTAL DISEASES.....	253	80	1										1					1	9	31	39	52	35	4			
VI.	1. DISEASES OF NERVOUS SYS- TEM	215	30	11	4	5	2	4	6	3	3	1	5	7	11	12	12	13	12	23	21	12	13	4	1			
	2. DISEASES OF ORGANS OF SPECIAL SENSE	3	2													1												
	3. DISEASES OF CIRCULATORY SYSTEM.....	274	7		1			3	2	10	3	4	7	7	10	18	20	24	33	28	43	30	14	9	1			
	4. DISEASES OF RESPIRATORY SYSTEM	227	53	11	5	3	3	5	2	2	6	2	4	5	9	11	10	12	11	13	19	28	7	2	3	1		
	5. DISEASES OF DIGESTIVE SYS- TEM	160	62	11	3	1	2	5	4	2	5	3	2	1	7	3	7	10	7	9	5	7	2	2				
	6. DISEASES OF LYMPHATIC SYS- TEM AND DUCTLESS GLANDS	2														1			1									
	7. DISEASES OF URINARY SYS- TEM	122	1	3	1		1	2		2	2	3	1	3	6	6	12	10	17	12	14	14	9	3				
	8. DISEASES OF REPRODUCTIVE SYSTEM— (a) DISEASES OF ORGANS OF GENERATION ...																											
	(b) DISEASES OF PARTU- RITION																											
	9. DISEASES OF ORGANS OF LOCOMOTION	6							1	1	1				1	1		1										
	10. DISEASES OF INTEGUMENTARY SYSTEM	5	2															2			1							
VII.	1. ACCIDENT OR NEGLIGENCE.....	158	13	4	1	2	3	5	7	12	11	7	12	15	7	13	8	6	10	6	8	3	4	1				
	2. HOMICIDE	1	1																									
	3. SUICIDE	46									2	5	3	5	3	8		7	8	3		2						
	4. EXECUTION	1									1																	
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	72	60	2	1						2			1	1		1		3		1							
I.	Miasmatic Diseases.																											
	Smallpox																											
	Chicken-pox																											
	Measles																											
	Epidemic Rose Rash.....																											
	Scarlet Fever	6		1			1	4																				
	Relapsing Fever																											
	Influenza	16	2	1		1				3	1		1				1					4	2					
	Whooping Cough	4	3		1																							
	Mumps																											
	Diphtheria	2						2																				
	Cerebro-spinal Fever.....																											
	Simple and Ill-defined Fever	1	1																									
	Enteric Fever	23		1					2	2	8	1	3	5	1													
	Other Miasmatic Diseases																											
	Diarrhoeal Diseases.																											

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1905—*continued*.

Class.	Cause of Death.	FEMALES.																										
		Ages at Death.																										
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
	ALL CAUSES.....	1,758	281	40	9	7	11	37	29	63	87	50	73	79	71	83	61	71	97	111	135	157	101	75	19	11	—	
I.	SPECIFIC FEBRILE OR ZY- MOTIC DISEASES.....	120	37	11	—	1	3	4	7	4	9	6	3	6	5	2	2	1	5	1	2	6	4	1	—	—	—	
II.	PARASITIC DISEASES.....	8	1	—	—	—	—	—	1	1	1	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	
III.	DIETIC DISEASES.....	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
IV.	CONSTITUTIONAL DISEASES.....	385	5	2	3	1	2	2	7	34	43	26	29	25	18	28	26	19	33	29	24	19	8	2	—	—	—	
V.	DEVELOPMENTAL DISEASES.....	280	60	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	10	28	50	52	49	18	11	—	
VI.	LOCAL DISEASES.....	840	119	22	4	3	4	23	11	18	33	15	37	45	41	51	28	49	55	68	77	80	35	21	1	—	—	
VII.	VIOLENCE.....	58	6	1	2	1	2	7	3	6	1	2	4	—	6	1	2	2	2	2	2	2	2	2	—	—	—	
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	65	52	4	—	—	—	1	—	—	—	—	—	2	1	—	2	—	1	1	1	—	—	—	—	—	—	
I.	1. MIASMATIC DISEASES.....	41	6	1	—	—	—	3	4	7	3	6	1	—	2	2	—	1	—	1	—	2	1	—	—	—	—	
	2. DIARRHOEAL DISEASES.....	53	26	8	—	1	—	—	—	—	1	—	—	1	2	1	1	1	3	1	—	3	2	1	—	—	—	
	3. MALARIAL DISEASES.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. ZOOGENOUS DISEASES.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. VENEREAL DISEASES.....	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	6. SEPTIC DISEASES.....	21	1	1	—	—	—	—	—	1	2	5	2	2	2	1	—	—	1	—	1	1	1	—	—	—	—	
II.	PARASITIC DISEASES.....	8	1	—	—	—	—	—	—	1	1	1	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	
III.	DIETIC DISEASES.....	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
IV.	CONSTITUTIONAL DISEASES.....	385	5	2	3	1	2	2	7	34	43	26	29	25	18	28	26	19	33	29	24	19	8	2	—	—	—	
V.	DEVELOPMENTAL DISEASES.....	280	60	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	10	28	50	52	49	18	11	—	
VI.	1. DISEASES OF NERVOUS SYS- TEM.....	167	23	8	2	1	1	9	2	1	8	2	9	7	4	15	6	6	13	15	12	15	6	2	—	—	—	
	2. DISEASES OF ORGANS OF SPECIAL SENSE.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. DISEASES OF CIRCULATORY SYSTEM.....	247	7	—	—	—	—	1	4	7	9	—	6	8	7	13	8	25	19	30	37	39	18	9	—	—	—	
	4. DISEASES OF RESPIRATORY SYSTEM.....	171	40	6	1	2	3	7	3	4	3	2	5	4	8	4	4	9	11	14	12	15	8	5	1	—	—	
	5. DISEASES OF DIGESTIVE SYS- TEM.....	147	49	8	1	—	—	6	2	1	6	4	3	10	8	9	4	5	5	3	12	4	2	5	—	—	—	
	6. DISEASES OF LYMPHATIC SYS- TEM AND DUCTLESS GLANDS.....	6	—	—	—	—	—	—	1	—	—	—	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	
	7. DISEASES OF URINARY SYS- TEM.....	55	—	—	—	—	—	—	3	2	3	5	5	3	8	2	2	6	5	4	6	1	—	—	—	—	—	
	8. DISEASES OF REPRODUCTIVE SYSTEM— (a) DISEASES OF ORGANS OF GENERATION.....	14	—	—	—	—	—	—	—	1	2	2	1	4	1	1	2	—	—	—	—	—	—	—	—	—	—	
	(b) DISEASES OF PARTU- RITION.....	25	—	—	—	—	—	—	1	4	2	6	7	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
	9. DISEASES OF ORGANS OF LOCOMOTION.....	4	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	
	10. DISEASES OF INTEGUMENTARY SYSTEM.....	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	
VII.	1. ACCIDENT OR NEGLIGENCE.....	47	6	1	2	1	2	7	3	4	1	1	2	—	3	—	2	2	—	2	2	2	2	2	—	—	—	
	2. HOMICIDE.....	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	3. SUICIDE.....	10	—	—	—	—	—	—	2	—	1	2	—	2	1	—	—	—	2	—	—	—	—	—	—	—	—	
	4. EXECUTION.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES.....	65	52	4	—	—	—	1	—	—	—	—	—	2	1	—	2	—	1	1	1	—	—	—	—	—	—	
I.	Miasmatic Diseases.																											
	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chicken-pox.....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Measles.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Epidemic Rose Rash.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Scarlet Fever.....	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Relapsing Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Influenza.....	11	—	—	—	—	—	2	—	1	1	—	—	1	—	1	—	1	—	1	—	2	1	—	—	—	—	
	Whooping Cough.....	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Mumps.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diphtheria.....	5	1	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cerebro-spinal Fever.....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Simple and Ill-defined Fever.....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Enteric Fever.....	18	—	—	—	—	2	3	2	3	5	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Miasmatic Diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diarrhoeal Diseases.																											
	Simple Cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diarrhoea, Dysentery.....	53	26	8	—	1	—	—	—	—	1	—	1	2	1	1	1	1	3	1	—	3	2	1	—	—	—	
	Malarial Diseases.																											
	Remittent Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Ague, Intermittent Fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Malarial Diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1905—continued.

Class.	Cause of Death.	MALES.																											
		Ages at Death.																											
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated		
I.	<i>Zoogenous Diseases.</i>																												
	Hydrophobia	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Glanders	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Splenic Fever	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Cowpox and other Effects of Vaccination	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	<i>Venereal Diseases.</i>																												
	Syphilis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Gonorrhœa, Stricture of Urethra	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	<i>Septic Diseases.</i>																												
	Phagedæna	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Erysipelas	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Pyæmia, Septicæmia	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Puerperal Fever	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
II.	<i>Parasitic Diseases.</i>																												
	Thrush	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other Diseases from Vegetable Parasites	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Hydatid Disease	9	1	1	1	1	1	1	1	1	1	1	2	2	2	2	1	2	1	1	1	1	1	1	1	1	1	1	
	Other Diseases from Animal Parasites	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
III.	<i>Dietic Diseases.</i>																												
	Starvation, Want of Breast Milk	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Scurvy	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Intemperance { Chronic Alcoholism Delirium Tremens	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
IV.	<i>Constitutional Diseases.</i>																												
	Rheumatic Fever, Rheumatism of Heart	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Rheumatism	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Gout	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Rickets	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Cancer, Malignant Disease	118	1	1	1	1	1	1	1	1	1	2	2	2	2	16	13	17	20	14	14	12	3	1	1	1	1	1	
	Tabes Mesenterica	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Tubercular Meningitis (Acute Hydrocephalus)	15	2	1	3	1	1	1	3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Phthisis	130	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other forms of Tuberculosis, Scrofula	18	3	1	1	1	1	1	1	2	2	1	3	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	
	Purpura, Hæmorrhagic Diathesis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Anæmia, Chlorosis, Leucocythæmia	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Diabetes Mellitus	19	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	2	4	2	3	1	1	1	1	1	1	1	
	Other Constitutional Diseases	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	
V.	<i>Developmental Diseases.</i>																												
	Premature Birth	69	69	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Atelectasis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Cyanosis	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Spina Bifida	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Imperforate Anus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Cleft Palate, Harelip	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other Congenital Defects	8	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Old Age	171	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	VI.	<i>Diseases of Nervous System.</i>																											
Inflammation of Brain or its Membranes		29	7	7	3	3	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Apoplexy		69	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Softening of Brain		5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Hemiplegia, Brain Paralysis		10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Paralysis Undefined		12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Paralysis Agitans		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Insanity, General Paralysis of Insane		10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Chorea		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Epilepsy		9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Convulsions		22	18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Laryngismus Stridulus		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Idiopathic Tetanus		7	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Paraplegia, Disease of Spinal Cord		10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

No. 19.—RETURN showing the Causes of Deaths at different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1905—*continued.*

Class.	Cause of Death.	FEMALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
I.	<i>Zoogenous Diseases.</i>																										
	Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cowpox and other Effects of Vaccination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Venereal Diseases.</i>																										
	Syphilis	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Septic Diseases.</i>																										
	Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pyæmia, Septicæmia.....	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Fever	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	<i>Parasitic Diseases.</i>																										
	Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases from Vegetable Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Hydatid Disease.....	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Diseases from Animal Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III.	<i>Dietic Diseases.</i>																										
	Starvation, Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Scurvy	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Intemperance { Chronic Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	{ Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
IV.	<i>Constitutional Diseases.</i>																										
	Rheumatic Fever, Rheumatism of Heart	13	—	—	—	—	—	1	—	3	1	1	—	1	—	1	—	1	—	1	—	1	—	—	—	—	
	Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Rickets	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cancer, Malignant Disease	131	—	1	—	—	—	—	—	—	3	—	1	5	6	13	14	9	25	14	20	11	7	2	—	—	
	Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Tubercular Meningitis (Acute Hydrocephalus)	13	4	1	3	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Phthisis	149	—	—	—	1	—	—	2	27	29	21	21	18	9	10	7	2	—	1	1	—	—	—	—	—	
	Other forms of Tuberculosis, Scrofula	22	—	—	—	—	—	—	3	2	5	4	4	—	1	—	2	—	—	1	—	—	—	—	—	—	
	Purpura, Hæmorrhagic Diathesis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Anæmia, Chlorosis, Leucocythæmia	14	—	—	—	—	—	—	—	1	3	—	—	2	—	2	2	—	1	—	—	2	—	—	—	—	
	Diabetes Mellitus	29	—	—	—	—	1	—	—	—	—	—	—	—	1	1	1	4	4	9	2	5	—	—	—	—	
	Other Constitutional Diseases	11	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	2	2	3	1	—	1	—	—	—	
V.	<i>Developmental Diseases.</i>																										
	Premature Birth.....	49	49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Atelectasis	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Spina Bifida.....	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Imperforate Anus	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cleft Palate, Harelip.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Congenital Defects.....	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Old Age.....	219	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	10	28	50	52	49	18	11	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
VI.	<i>Diseases of Nervous System.</i>																										
	Inflammation of Brain or its Membranes.....	27	6	2	2	—	—	7	1	1	3	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	
	Apoplexy	53	—	—	—	—	—	—	—	—	—	—	2	1	—	5	4	3	7	8	8	10	4	1	—	—	
	Softening of Brain	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	
	Hemiplegia, Brain Paralysis	9	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	1	1	1	1	—	—	—	
	Paralysis Undefined	9	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	1	2	1	1	—	—	
	Paralysis Agitans	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	
	Insanity, General Paralysis of Insane	7	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	1	—	1	1	—	—	—	—	—	
	Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Epilepsy	8	—	—	—	—	—	—	—	—	4	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	
	Convulsions	26	17	6	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Laryngismus Stridulus.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Idiopathic Tetanus.....	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Paraplegia, Disease of Spinal Cord.....	7	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	1	2	1	—	—	—	—	—	

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1905—*continued*.

Class.	Cause of Death.	MALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and over.	Not Stated
<i>Diseases of Nervous System—cont.</i>																											
	Other Diseases of Nervous System	28	1	2	—	—	—	1	1	2	2	—	1	1	3	3	2	5	1	2	—	1	—	—	—	—	—
<i>Diseases of Organs of Special Sense.</i>																											
	Otitis, Otorrhœa and Disease of Ear	3	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ophthalmia and Disease of Eye	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Circulatory System.</i>																											
	Endocarditis, Valvular Disease	21	—	—	—	—	—	—	1	1	1	—	—	—	2	3	3	1	3	1	4	1	—	—	—	—	—
	Pericarditis	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hypertrophy of Heart	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Angina Pectoris	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	1	—	—	—	—	—
	Syncope	6	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—
	Aneurism	6	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	—	—	1	—	—	—	—	—	—
	Senile Gangrene	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Embolism, Thrombosis	8	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	2	—	—	2	1	—	—	—	—
	Phlebitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Varicose Veins	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System	227	5	—	1	—	—	2	1	8	2	3	7	5	8	12	15	18	26	27	38	26	13	9	1	—	—
<i>Diseases of Respiratory System.</i>																											
	Laryngitis	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup	4	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Larynx and Trachea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Emphysema, Asthma	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchitis	69	24	4	2	2	—	1	—	—	—	—	—	—	—	1	2	2	3	6	1	6	2	—	—	—	—
	Pneumonia	104	20	5	3	1	1	2	2	2	2	2	4	3	6	8	6	6	5	5	6	5	4	1	1	1	—
	Pleurisy	15	—	—	—	—	—	—	—	—	2	—	—	1	1	2	1	1	1	1	4	1	—	—	—	—	—
	Other Diseases of Respiratory System	20	2	—	—	—	1	1	—	—	2	—	—	1	2	—	1	—	2	3	2	2	—	1	—	—	—
<i>Diseases of Digestive System.</i>																											
	Stomatitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Dentition	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sore Throat, Quinsy	3	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dyspepsia	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmatemesis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Melæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disease of Stomach	13	1	—	—	1	—	—	—	—	1	—	—	—	1	1	2	1	1	3	—	1	—	—	—	—	—
	Enteritis	88	50	7	3	—	1	3	2	1	4	2	1	—	3	1	2	2	2	—	1	2	1	—	—	—	—
	Ulceration of Intestine	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ileus, Obstruction of Intestine	7	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	2	—	1	1	—	—	—	—
	Stricture, or Strangulation of Intestine	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intussusception of Intestine	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Hernia	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
	Peritonitis	6	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gallstones	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cirrhosis of Liver	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Liver	9	6	—	—	—	—	—	—	—	—	—	—	—	—	1	1	4	2	3	—	1	—	—	—	—	—
	Other Diseases of Digestive System	4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
<i>Diseases of Lymphatic System and Ductless Glands.</i>																											
	Diseases of Lymphatic System	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Diseases of Spleen	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchocele	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Urinary System.</i>																											
	Acute Nephritis	21	1	2	—	—	—	1	—	—	—	—	—	1	2	—	2	1	1	2	2	1	1	—	—	—	—
	Bright's Disease	56	—	1	1	—	—	1	—	2	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Uræmia	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suppression of Urine	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Calculus	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmaturia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Bladder and of Prostate	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1905—*continued*.

Class.	Cause of Death.	FEMALES.																										
		Ages at Death.																										
		All Ages.	Under 1 Year	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated	
<i>Diseases of Nervous System—cont.</i>																												
Other Diseases of Nervous System		11	—	—	—	—	—	—	1	—	—	—	2	3	1	1	1	—	2	—	—	—	—	—	—	—	—	—
<i>Diseases of Organs of Special Sense.</i>																												
Otitis, Otorrhœa and Disease of Ear		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epistaxis and Disease of Nose		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ophthalmia and Disease of Eye		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Circulatory System.</i>																												
Endocarditis, Valvular Disease		20	—	—	—	—	—	—	—	3	2	—	—	—	—	3	1	—	2	1	3	2	2	1	—	—	—	—
Pericarditis		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hypertrophy of Heart		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Angina Pectoris		6	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—
Syncope		9	4	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Senile Gangrene		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Embolism, Thrombosis		11	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	2	1	1	3	—	1	—	—	—	—
Phlebitis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Varicose Veins		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Circulatory System		195	3	—	—	—	—	1	4	4	6	—	2	8	7	9	5	19	15	24	32	34	14	8	—	—	—	—
<i>Diseases of Respiratory System.</i>																												
Laryngitis		3	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Croup		3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea		1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emphysema, Asthma		5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis		65	21	—	—	—	—	1	—	—	—	—	—	2	2	1	—	—	—	1	3	—	—	—	—	—	—	—
Pneumonia		76	14	6	1	2	2	3	2	3	2	1	3	2	6	2	3	3	5	5	8	9	5	2	1	—	—	
Pleurisy		10	1	—	—	—	1	1	—	—	—	—	2	2	—	2	1	1	1	1	3	1	1	—	—	—	—	
Other Diseases of Respiratory System		8	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—
<i>Diseases of Digestive System.</i>																												
Stomatitis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dentition		8	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sore Throat, Quinsy		2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dyspepsia		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmatemesis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Melæna		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disease of Stomach		14	3	—	—	—	—	1	—	—	3	2	—	2	2	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteritis		63	34	4	—	—	—	3	2	—	1	—	2	2	1	1	2	2	2	—	4	—	—	3	—	—	—	—
Ulceration of Intestine		3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—
Ileus, Obstruction of Intestine		16	1	—	—	—	—	1	—	—	—	—	—	3	2	—	2	—	1	—	2	3	1	—	—	—	—	—
Stricture, or Strangulation of Intestine		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception of Intestine		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia		8	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	1	2	—	—	1	—	—	—	—
Fistula		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis		8	—	—	—	—	—	1	—	1	1	2	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Ascites		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gallstones		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Cirrhosis of Liver		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Other Diseases of Liver		10	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	2	1	1	—	—	—	—	—
Other Diseases of Digestive System		6	1	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—
<i>Diseases of Lymphatic System and Ductless Glands.</i>																												
Diseases of Lymphatic System		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of Spleen		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchocele		2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease		4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Urinary System.</i>																												
Acute Nephritis		8	—	—	—	—	—	—	—	1	1	2	2	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—
Bright's Disease		29	—	—	—	—	—	—	1	—	2	3	3	3	2	3	1	1	3	3	2	5	—	—	—	—	—	—
Uræmia		8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suppression of Urine		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—</				

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1905—*continued.*

Class.	Cause of Death.	MALES.																									
		Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
VII.	<i>Diseases of Organs of Generation.</i>																										
	Ovarian Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Uterus and Vagina ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pelvic Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Perineal Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Testes, Penis, Scrotum, &c.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Parturition.</i>																										
	Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmasia Dolens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Organs of Locomotion.</i>																										
	Caries, Necrosis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Arthritis, Ostitis, Periostitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Organs of Locomotion	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Integumentary System.</i>																										
	Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmon, Cellulitis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lupus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulcer, Bedsore	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Eczema	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pemphigus	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Accident or Negligence.</i>																										
	Fracture and Contusion	81	1	1	—	—	—	—	2	4	6	5	4	8	12	5	7	5	4	3	6	5	1	1	1	—	—
	Gunshot Wounds ..	5	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Burn, Scald	5	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sunstroke, Heat-apoplexy, Heat..	15	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lightning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	8	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bite of Snake or Insect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	29	—	—	—	—	1	3	3	3	3	3	2	2	1	3	1	—	3	—	—	—	—	—	—	—	—
	Suffocation	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise	11	6	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Homicide.</i>																										
	Murder, Manslaughter	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Justifiable Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Suicide.</i>																										
	Gunshot Wounds ..	12	—	—	—	—	—	—	—	—	—	2	3	1	—	—	—	—	—	2	—	—	—	—	—	—	—
	Cut, Stab	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hanging	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1905—*continued.*

		FEMALES.																									
Class.	Cause of Death.	Ages at Death.																									
		All Ages.	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95 and Over.	Not Stated
VII.	<i>Diseases of Organs of Generation.</i>																										
	Ovarian Disease	4	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—
	Diseases of Uterus and Vagina ...	10	—	—	—	—	—	—	—	—	—	2	2	1	3	1	1	—	—	—	—	—	—	—	—	—	—
	Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pelvic Abscess.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Perineal Abscess.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Testes, Penis, Scrotum, &c.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Parturition.</i>																										
	Abortion, Miscarriage	5	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania.....	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Convulsions.....	5	—	—	—	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	Placenta Prævia, Flooding.....	7	—	—	—	—	—	—	—	—	—	1	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmasia Dolens	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth ...	7	—	—	—	—	—	—	—	—	—	—	1	—	3	2	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Organs of Locomotion.</i>																										
	Caries, Necrosis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Arthritis, Ostitis, Periostitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Organs of Locomotion	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—
	<i>Diseases of Integumentary System.</i>																										
	Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmon, Cellulitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lupus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulcer, Bedsore	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Eczema	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	Pemphigus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	<i>Accident or Negligence.</i>																										
	Fracture and Contusion	10	—	1	2	1	—	—	—	2	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—
	Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Burn, Scald	12	—	—	—	—	2	5	1	1	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
	Sunstroke, Heat-apoplexy, Heat..	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Lightning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	4	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Bite of Snake or Insect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning.....	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suffocation	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise.....	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Homicide.</i>																										
	Murder, Manslaughter.....	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Justifiable Homicide.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Suicide.</i>																										
	Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning.....	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Execution.</i>																										
	Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Ill-defined and not Specified Causes.</i>																											
Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
Debility, Atrophy, Inanition	59	52	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tumor	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Abscess.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sudden (cause unascertained) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Ill-defined and not Specified Causes	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

No. 20.—RETURN showing the Deaths Registered in South Australia

			Ages at Death.																								
Months.	Class.	Causes of Death.	Total.			Months.								Years.													
						0-1		1-3		3-6		6-12		Under 1 Year.		1-		2-		3-		4-		5-		10-	
			M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
January	Total.....	222	182	404	14	7	9	4	11	6	10	16	44	33	6	3	6	—	1	1	2	1	3	4	3	6
	I.	Zymotic diseases	15	22	37	1	—	—	—	1	5	2	3	4	8	1	2	1	—	—	1	—	—	2	1	—	2
	II.	Parasitic diseases.....	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	28	33	61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	V.	Developmental diseases ...	24	30	54	4	5	1	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	102	80	182	5	1	4	3	8	1	6	8	23	13	4	1	4	—	1	—	1	1	—	2	1	—
	VII.	Violence	41	10	51	2	—	—	—	—	—	—	2	2	2	—	—	—	—	—	—	1	—	—	1	2	2
	VIII.	Ill-defined or not specified causes	12	6	18	2	1	4	1	2	—	2	3	10	5	1	—	1	—	—	—	—	—	—	—	—	—
February...	...	Total.....	145	141	286	12	14	6	5	9	8	16	7	43	34	3	3	4	2	2	—	—	1	2	1	2	3
	I.	Zymotic diseases	24	17	41	1	1	1	1	3	3	5	3	10	8	—	1	2	—	—	—	—	1	1	—	1	—
	II.	Parasitic diseases.....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	27	27	54	—	—	—	—	—	1	—	—	—	1	—	—	1	1	—	—	—	—	1	—	—	1
	V.	Developmental diseases ...	25	26	51	11	10	—	—	—	1	—	—	11	11	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	53	61	114	—	1	4	2	4	3	9	3	17	9	3	1	2	—	1	—	—	—	—	1	—	—
	VII.	Violence	10	3	13	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	2	1
	VIII.	Ill-defined or not specified causes	5	7	12	—	2	1	2	2	—	1	1	4	5	—	1	—	—	—	—	—	—	—	—	—	—
March	Total	170	128	298	15	10	11	4	4	6	16	9	46	29	5	6	—	2	—	2	—	—	4	1	2	3
	I.	Zymotic diseases	16	15	31	3	1	2	2	1	1	3	—	9	4	1	4	—	—	—	—	—	—	—	1	—	1
	II.	Parasitic diseases	3	—	3	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	29	23	52	—	—	1	—	—	—	—	—	1	—	1	1	—	1	—	—	—	—	—	—	—	1
	V.	Developmental diseases ...	21	19	40	4	4	1	—	—	—	—	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	75	59	134	4	2	5	2	3	3	9	6	21	13	2	1	—	1	2	—	—	2	—	2	1	
	VII.	Violence	15	3	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	
	VIII.	Ill-defined or not specified causes	11	9	20	3	3	2	—	—	2	4	3	9	8	1	—	—	—	—	—	—	—	—	—	—	—
April.....	...	Total.....	156	135	291	15	10	5	1	7	6	1	5	28	22	4	6	1	1	1	—	1	1	2	2	3	1
	I.	Zymotic diseases	12	15	27	1	1	1	—	1	2	—	2	3	5	1	1	—	—	—	—	—	1	—	1	—	—
	II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	3	1	4	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	26	29	55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	
	V.	Developmental diseases ...	16	24	40	6	3	—	—	—	—	—	6	3	—	—	—	—	—	—	—	—	—	—	—	—	
	VI.	Local diseases	73	60	133	2	3	3	1	5	3	1	3	11	10	3	5	1	1	1	—	1	—	1	—	—	
	VII.	Violence	19	4	23	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	1	1	—	
	VIII.	Ill-defined or not specified causes	6	2	8	5	2	1	—	—	—	—	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—
May	Total.....	173	158	331	15	14	9	2	5	2	10	9	39	27	4	3	3	—	2	1	3	2	4	2	1	
	I.	Zymotic diseases	9	7	16	—	1	1	—	1	—	2	1	4	2	—	—	—	—	—	—	—	—	—	—	—	—
	II.	Parasitic diseases.....	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	III.	Dietic diseases	2	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	IV.	Constitutional diseases ...	25	41	66	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	1	—	—	
	V.	Developmental diseases ...	20	16	36	7	5	—	1	—	—	—	7	6	—	—	—	—	—	—	—	—	—	—	—	—	
	VI.	Local diseases	88	78	166	5	3	6	1	3	—	3	8	17	12	4	2	1	—	1	—	3	1	2	1	1	
	VII.	Violence	17	3	20	—	—	—	—	—	—	1	—	1	—	—	1	—	1	1	—	—	1	—	—	—	
	VIII.	Ill-defined or not specified causes	12	12	24	3	5	2	—	1	1	3	—	9	6	—	1	—	—	—	—	—	—	1	—	—	
June.....	...	Total.....	188	146	334	14	11	11	7	10	5	1	9	36	32	8	1	2	1	1	—	4	1	4	6	7	2
	I.	Zymotic diseases	7	7	14	—	—	—	—	2	—	—	1	2	1	—	—	—	—	—	—	—	—	—	1	1	
	II.	Parasitic diseases.....	1	1	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	III.	Dietic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	IV.	Constitutional diseases ...	30	28	58	1	—	—	—	1	1	—	2	1	—	—	1	—	—	—	—	—	—	1	2	—	
	V.	Developmental diseases ...	24	19	43	7	8	—	—	—	—	—	7	8	—	—	—	—	—	—	—	—	—	—	—	—	
	VI.	Local diseases	98	78	176	2	1	8	4	4	3	1	6	15	14	6	—	2	—	1	—	2	—	4	5	1	
	VII.	Violence	17	5	22	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	1	—	—	—	—	
	VIII.	Ill-defined or not specified causes	10	8	18	4	2	3	2	3	1	—	2	10	7	—	1	—	—	—	—	—	—	—	—	—	

(exclusive of the Northern Territory) in each Month of the Year 1905.

Ages at Death.

Years.

15—		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95 and Over.		Not Stated.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
3	4	6	11	4	8	3	4	7	6	10	12	7	6	9	6	14	10	21	9	11	12	25	14	19	15	13	8	3	8	2	1	—	—	—	—	
—	—	2	2	—	—	1	1	—	1	—	2	1	1	—	—	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	1	4	1	5	2	1	—	1	2	3	2	1	3	3	4	3	3	3	1	2	4	1	3	1	1	1	—	1	—	—	—	—	—	—	
1	3	1	5	1	1	—	1	3	3	3	6	3	4	4	3	8	7	10	6	7	7	14	10	8	3	2	2	1	2	2	—	—	—	—		
2	—	2	—	2	1	—	1	4	—	5	1	1	—	2	—	1	—	7	—	2	—	4	—	2	1	2	—	—	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	11	5	8	4	4	3	7	8	5	3	7	6	3	5	3	3	1	10	7	8	10	8	8	11	10	6	8	2	1	—	4	—	—	—		
1	3	1	1	1	2	—	—	1	—	1	—	1	—	1	—	1	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	4	1	3	1	—	1	4	4	2	1	2	2	—	2	2	2	—	3	2	4	2	—	—	1	1	—	2	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	5	3	3	4	4	3	1	—	—	4	—	—	—		
2	4	2	4	2	2	—	3	2	3	—	5	2	3	1	—	—	1	5	5	3	7	3	5	6	5	1	2	1	1	—	—	—	—	—		
1	—	1	—	—	—	2	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	3	6	2	7	4	5	5	5	4	7	4	9	4	11	5	11	2	6	8	7	7	12	7	7	9	7	10	8	8	—	1	—	2	—		
1	—	1	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	1	1	1	—	—	—	1	—	—	—	—	—		
—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	1	2	—	3	2	—	2	2	2	2	1	2	—	2	2	6	—	3	3	1	2	2	2	—	2	—	1	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	3	—	4	6	7	5	—	1	—	2	—		
2	2	2	1	1	1	1	2	2	2	4	3	4	3	9	2	4	2	2	4	3	5	7	3	3	6	3	3	1	2	—	—	—	—	—		
—	—	1	—	3	—	4	1	—	—	—	—	2	1	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	3	4	7	5	2	2	2	8	4	7	4	10	7	9	4	15	5	12	11	8	8	13	8	10	20	4	7	2	7	—	1	—	2	—		
1	—	2	1	—	1	1	—	1	—	1	—	1	—	—	—	1	1	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	2	—	4	3	1	—	1	3	4	—	2	2	2	2	2	5	1	3	3	2	2	4	1	—	3	—	—	—	—	—	—	—	—	—	—	
1	1	1	1	1	—	—	—	2	—	6	1	2	5	7	2	8	3	7	6	5	6	7	5	4	9	3	2	1	3	—	—	—	—	—		
4	—	1	1	—	—	1	1	2	—	—	—	5	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	9	6	8	3	4	5	7	6	9	6	8	4	11	8	7	8	9	12	5	13	10	18	7	10	16	7	8	5	2	1	1	—	1	—		
—	1	1	—	—	1	1	—	2	3	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	5	—	4	—	3	1	1	1	—	2	3	1	5	1	4	4	3	4	4	1	3	3	1	—	2	1	1	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	3	4	4	1	—	2	6	1	5	3	4	2	6	5	2	4	6	5	—	10	5	9	3	8	10	4	5	1	1	—	1	—	—	—		
2	—	—	—	1	—	1	—	2	1	—	1	—	1	1	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2	5	6	5	7	4	6	11	8	5	7	7	15	7	13	4	6	6	11	9	7	6	10	7	10	12	12	7	5	7	1	—	—	1	—		
—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	2	4	3	3	3	2	4	5	2	1	—	2	3	5	2	1	2	1	1	1	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	2	1	1	1	1	2	6	1	3	4	4	11	4	6	2	5	4	8	7	4	6	7	3	7	7	3	6	1	2	1	—	—	—	—		
—	1	—	—	3	—	2	—	2	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

No. 20.—RETURN showing the Deaths Registered in South Australia

			Ages at Death.																								
Months.	Class.	Causes of Death.	Totals.			Months.								Years.													
						0-1		1-3		3-6		6-12		Under 1 Year.		1-		2-		3-		4-		5-		10-	
			M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
July	Total	160	149	309	16	9	7	3	1	2	5	3	29	17	2	1	1	—	2	1	—	1	4	4	1	5
	I.	Zymotic diseases.....	4	6	10	—	—	—	1	—	—	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—
	II.	Parasitic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	22	39	61	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1
	V.	Developmental diseases ...	21	27	48	9	2	1	—	—	—	—	—	10	2	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	92	66	158	2	2	5	1	1	2	2	3	10	8	1	1	1	—	1	1	—	1	3	4	—	4
	VII.	Violence	16	5	21	3	1	—	—	—	—	1	—	4	1	—	—	—	—	—	—	—	—	—	—	1	—
	VIII.	Ill-defined or not specified causes	5	6	11	2	4	1	1	—	—	—	—	3	5	—	—	—	—	—	—	—	—	—	—	—	—
August.....	...	Total	152	153	305	9	10	2	—	4	2	4	2	19	14	4	1	1	1	1	—	—	—	3	5	3	3
	I.	Zymotic diseases.....	6	3	9	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1
	II.	Parasitic diseases.....	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—
	IV.	Constitutional diseases ...	21	40	61	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
	V.	Developmental diseases ...	17	32	49	1	6	1	—	—	—	—	—	2	6	1	—	—	—	—	—	—	—	—	—	—	1
	VI.	Local diseases	95	73	168	3	3	1	—	4	1	2	2	10	6	3	1	1	—	1	—	—	—	1	4	2	1
	VII.	Violence	10	2	12	2	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	1	1	—	—
	VIII.	Ill-defined or not specified causes.....	2	2	4	2	1	—	—	—	1	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
September.	...	Total	164	140	304	8	8	2	1	3	6	3	5	16	20	3	3	—	1	2	—	1	2	3	2	2	—
	I.	Zymotic diseases	5	8	13	—	—	—	—	2	1	1	1	3	2	—	—	—	—	—	—	—	—	1	—	—	—
	II.	Parasitic diseases	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	28	34	62	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	1	1	—	—	—
	V.	Developmental diseases ...	21	20	41	4	3	—	—	—	—	—	—	4	3	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	89	66	155	2	2	1	—	1	4	2	3	6	9	2	2	—	1	1	—	1	—	1	1	2	—
	VII.	Violence	18	5	23	2	1	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	1	—	1	—	—
	VIII.	Ill-defined or not specified causes	2	5	7	—	2	1	1	—	—	—	1	1	4	—	1	—	—	—	—	—	—	—	—	—	—
October....	...	Total	163	140	303	8	11	2	1	4	3	4	1	18	16	4	5	2	—	—	—	—	—	3	—	1	2
	I.	Zymotic diseases	3	6	9	—	—	—	1	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	1
	II.	Parasitic diseases.....	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	30	39	69	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	V.	Developmental diseases ...	21	22	43	5	7	—	—	—	—	1	—	6	7	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	87	66	153	2	2	2	—	3	3	3	—	10	5	3	3	1	—	—	—	—	—	3	—	1	1
	VII.	Violence	16	5	21	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	VIII.	Ill-defined or not specified causes	3	1	4	1	1	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
November.	...	Total	155	133	288	9	8	3	1	1	—	4	4	17	13	2	1	1	—	—	1	1	1	1	2	2	2
	I.	Zymotic diseases	8	5	13	—	—	1	—	1	—	—	—	2	—	—	1	—	—	—	—	—	1	1	—	—	—
	II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	IV.	Constitutional diseases ...	35	21	56	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1
	V.	Developmental diseases ...	24	27	51	5	4	1	—	—	—	—	—	6	4	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	72	72	144	2	3	1	1	—	—	3	4	6	8	2	—	—	—	—	—	—	—	—	1	1	1
	VII.	Violence	13	7	20	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—
	VIII.	Ill-defined or not specified causes	2	1	3	1	1	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
December.	...	Total.....	155	153	308	17	6	1	3	1	5	8	9	27	24	5	7	2	1	1	1	—	1	4	8	1	1
	I.	Zymotic diseases	9	9	18	—	—	—	—	—	3	2	1	2	4	1	1	1	—	—	—	—	—	1	1	—	—
	II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	III.	Dietic diseases	2	1	3	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
	IV.	Constitutional diseases ...	19	31	50	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—
	V.	Developmental diseases ...	19	18	37	11	1	—	—	—	—	—	—	11	1	—	—	—	—	—	—	—	—	—	—	—	—
	VI.	Local diseases	90	81	171	5	3	1	1	—	2	5	6	11	12	3	5	1	1	1	—	—	1	2	4	1	1
	VII.	Violence	14	6	20	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	3	—	—	—
	VIII.	Ill-defined or not specified causes	2	6	8	1	2	—	2	—	1	1	1	2	6	—	—	—	—	—	—	—	—	—	—	—	—

(exclusive of the Northern Territory) in each Month of the Year 1905—continued.

Ages at Death.

Years.

15—		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95 and Over		Not Stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
4	6	2	12	2	2	4	11	7	5	6	5	10	9	8	6	16	6	10	10	10	7	14	11	11	9	10	9	6	9	1	2	—	1	—	—
—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	5	2	8	1	1	1	6	2	3	—	1	2	4	2	3	3	1	1	2	1	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	3	1	1	2	4	3	2	5	4	6	5	5	2	13	4	6	6	7	3	11	4	7	5	5	1	4	3	—	—	—	—	—	—
—	1	—	—	—	—	1	—	2	—	—	—	2	—	—	1	—	1	2	—	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	5	4	6	2	3	7	3	8	14	5	6	9	7	6	6	11	10	13	7	12	9	12	17	9	18	13	8	4	8	2	2	—	—	—	
—	—	1	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	4	1	3	1	—	3	2	3	6	1	4	2	1	2	3	—	5	2	4	—	2	1	5	—	1	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	1	3	1	3	3	1	3	6	4	2	7	6	4	2	10	5	10	3	11	6	8	8	7	9	3	4	2	2	1	—	—	—	—	
1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	3	6	8	4	3	9	10	6	12	5	3	8	5	11	1	9	3	12	1	15	10	8	16	19	16	7	9	11	7	1	3	—	2	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	1	2	6	2	3	3	4	2	2	1	—	1	2	3	1	1	1	3	—	3	2	1	5	1	2	—	3	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	2	2	—	—	4	6	1	9	4	2	5	1	6	—	6	2	8	—	9	7	5	9	14	9	6	3	4	2	—	—	—	—	—	—
—	1	2	—	2	—	2	—	2	—	—	1	2	—	2	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	6	5	8	3	4	4	4	7	5	5	3	6	9	11	5	9	7	11	14	12	13	14	10	22	11	13	11	8	4	—	3	—	—	—	
—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	5	1	4	3	3	2	2	3	1	—	1	3	5	4	1	1	1	3	5	1	6	4	—	3	3	—	—	—	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	—	—	4	—	1	2	1	1	4	5	1	1	4	4	4	3	6	6	8	9	6	9	7	12	6	9	4	4	1	—	—	—	—	—	—
—	—	3	—	—	—	—	1	2	—	—	—	—	—	—	—	5	—	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	6	9	2	6	8	5	3	4	5	5	4	14	10	8	7	8	5	11	6	11	11	16	17	16	11	9	8	3	9	1	—	1	1	—	
1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	3	3	1	4	2	3	1	1	1	—	—	8	2	1	2	2	1	4	1	4	2	1	1	1	1	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	5	1	2	4	1	2	1	4	2	4	4	8	7	4	4	3	5	5	7	6	10	13	8	5	3	1	—	2	1	—	—	—	—	
1	3	1	—	—	1	1	—	1	—	2	—	1	—	—	—	2	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	2	5	10	3	4	4	6	6	5	5	8	10	5	6	7	9	7	12	10	14	8	17	13	12	10	7	8	—	5	—	1	—	1	—	
1	—	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	2	3	—	3	1	1	1	1	1	1	2	3	1	1	1	1	2	5	3	4	1	4	2	2	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	1	4	2	1	2	5	3	4	4	5</																								

No. 21.—RETURN showing the Births and Deaths (inclusive of all those in

Months.	Births.			Class.	Causes of Death.	Deaths.															
						Ages at Death.															
						Total.			Under 1 Year.		1—		2—		3—		4—		5—		10—
	M.	F.	Total.			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
January ...	35	35	70		Total	54	48	102	10	4	—	—	2	—	—	—	—	—	1	1	3
				I.	Zymotic diseases	2	8	10	1	2	—	—	—	—	—	—	—	—	—	—	1
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	8	11	9	—	—	—	—	—	—	—	—	—	—	—	—	2
				V.	Developmental diseases	6	11	17	1	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	26	16	42	6	1	—	—	2	—	—	—	—	—	1	—	—
				VII.	Violence	10	1	11	—	—	—	—	—	—	—	—	—	—	—	1	—
				VIII.	Ill-defined or not specified causes	2	1	3	2	1	—	—	—	—	—	—	—	—	—	—	—
February...	38	36	74		Total	37	24	61	3	5	—	—	—	—	1	—	—	—	—	1	1
				I.	Zymotic diseases	4	3	7	—	1	—	—	—	—	—	—	—	—	—	—	1
				I.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	10	7	17	—	—	—	—	—	—	1	—	—	—	—	—	—
				V.	Developmental diseases	8	3	11	2	1	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	9	10	19	1	2	—	—	—	—	—	—	—	—	—	—	—
				VII.	Violence	6	—	6	—	—	—	—	—	—	—	—	—	—	—	1	—
				VIII.	Ill-defined or not specified causes.....	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
March	38	37	75		Total	36	25	61	7	6	—	2	—	1	—	—	—	2	—	—	1
				I.	Zymotic diseases	1	1	2	1	—	—	1	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	8	6	14	—	—	—	1	—	1	—	—	—	—	—	—	1
				V.	Developmental diseases	3	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	18	11	29	3	2	—	—	—	—	—	—	—	2	—	—	—
				VII.	Violence	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	2	4	6	2	4	—	—	—	—	—	—	—	—	—	—	—
April	27	41	68		Total	46	24	70	8	2	3	—	—	—	—	—	—	—	1	1	—
				I.	Zymotic diseases	3	4	7	1	2	1	—	—	—	—	—	—	—	1	—	—
				II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	10	9	19	—	—	—	—	—	—	—	—	—	—	—	1	—
				V.	Developmental diseases	5	2	7	2	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	18	9	27	4	—	2	—	—	—	—	—	—	—	—	—	—
				VII.	Violence	8	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
May	31	33	64		Total	39	36	75	5	3	—	—	1	—	—	1	—	1	—	1	—
				I.	Zymotic diseases	3	4	7	—	1	—	—	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	11	10	21	—	1	—	—	1	—	—	—	—	—	—	1	—
				V.	Developmental diseases	4	2	6	1	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	17	17	34	3	—	—	—	—	—	—	—	1	—	—	—	—
				VII.	Violence	2	1	3	—	—	—	—	—	—	—	1	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—
June	34	42	76		Total	40	31	71	5	7	1	1	1	—	—	—	—	2	3	3	—
				I.	Zymotic diseases	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	10	4	14	—	—	—	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	2	6	8	—	4	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	25	17	42	3	2	1	—	1	—	—	—	—	2	3	3	—
				VII.	Violence	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	2	2	4	2	1	—	1	—	—	—	—	—	—	—	—	—

Ages at Death.

No. 21.—RETURN showing the Births and Deaths (inclusive of all those in

Months.	Births.			Class.	Causes of Death.	Deaths.																
						Ages at Death.																
	Total.					Under 1 Year.		1—		2—		3—		4—		5—		10—				
	M.	F.	Total.			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
July	39	42	81		Total ...	33	18	51	6	2	1											1
				I.	Zymotic diseases.....	1		1														
				II.	Parasitic diseases																	
				III.	Dietic diseases																	
				IV.	Constitutional diseases.....	8	6	14	1													
				V.	Developmental diseases	5	2	7	4													
				VI.	Local diseases	18	8	26		1	1											1
				VII.	Violence		1	1														
				VIII.	Ill-defined or not specified causes	1	1	2	1	1												
August.....	50	38	88		Total	44	28	72	2	1	2									1	1	1
				I.	Zymotic diseases.....	2		2			1											
				II.	Parasitic diseases		1	1														
				III.	Dietic diseases.....	1		1														
				IV.	Constitutional diseases.....	7	9	16													1	
				V.	Developmental diseases	9	4	13	1		1											1
				VI.	Local diseases	22	14	36		1										1		
				VII.	Violence.....	2		2														
				VIII.	Ill-defined or not specified causes	1		1	1													
September.	34	44	78		Total	38	29	67	3	1	1			1	1		1			1		
				I.	Zymotic diseases.....		1	1							1							
				II.	Parasitic diseases		1	1														
				III.	Dietic diseases.....																	
				IV.	Constitutional diseases.....	9	10	19			1											
				V.	Developmental diseases	5	3	8	1													
				VI.	Local diseases	19	12	31						1	1		1			1		
				VII.	Violence	3	1	4	1													
				VIII.	Ill-defined or not specified causes.....	2	1	3	1	1												
October ...	29	33	62		Total	49	24	73	3	1	1										1	
				I.	Zymotic diseases.....	1	1	2														
				II.	Parasitic diseases	3		3														
				III.	Dietic diseases.....																	
				IV.	Constitutional diseases.....	6	9	15														
				V.	Developmental diseases	5	4	9	1	1												
				VI.	Local diseases	29	10	39	2		1										1	
				VII.	Violence	5		5														
				VIII.	Ill-defined or not specified causes.....																	
November	27	27	54		Total	43	31	74	1							1				1		
				I.	Zymotic diseases.....	2	1	3											1			
				II.	Parasitic diseases																	
				III.	Dietic diseases																	
				IV.	Constitutional diseases.....	11	5	16								1						
				V.	Developmental diseases	6	4	10	1													
				VI.	Local diseases	22	19	41														
				VII.	Violence	2	2	4													1	
				VIII.	Ill-defined or not specified causes																	
December.	36	28	64		Total	29	36	65	4	3										1	1	
				I.	Zymotic diseases.....	1	1	2		1												
				II.	Parasitic diseases		1	1														
				III.	Dietic diseases	1		1	1													
				IV.	Constitutional diseases.....	5	14	19		1												
				V.	Developmental diseases	5	3	8	2													
				VI.	Local diseases	13	15	28														
				VII.	Violence	3	1	4												1	1	
				VIII.	Ill-defined or not specified causes	1	1	2	1	1												

Ages at Death.

No. 22.—RETURN of Births and Deaths (inclusive of all those in Public Institutions) Registered in the City of Adelaide in the Years 1900-1905.

Years	1900.	1901.	1902.	1903.	1904.	1905.										
Population, Mean	39,195	39,275	39,415	39,555	39,695	39,835										
Births	1,022	938	956	876	862	Total, 854—Males, 418; females, 436.										
Rate per 1,000 of population	26.12	23.88	24.25	22.15	21.72	21.44										
Deaths—						All Ages.			Under 1 Year.	1 and under 5	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up-wards	Not stated.
						Total.	M.	F.								
All causes	795	881	939	845	809	842	488	354	92	24	70	149	189	251	67	—
Rate per 1,000 of population	20.31	22.43	23.82	21.36	20.38	21.14	—	—	—	—	—	—	—	—	—	—
Diseases—																
I. Specific Febrile or Zymotic	74	86	128	54	49	46	21	25	10	3	7	12	9	5	—	—
II. Parasitic	7	5	7	3	5	10	6	4	1	—	1	3	5	—	—	—
III. Dietic	4	9	12	6	6	3	3	—	1	—	—	1	—	1	—	—
IV. Constitutional	167	183	192	201	178	203	103	100	3	6	21	64	51	53	5	—
V. Developmental	72	81	117	87	110	110	63	47	22	1	1	—	—	45	41	—
VI. Local	373	433	405	427	388	394	236	158	31	12	25	56	113	138	19	—
VII. Violence	56	47	44	35	39	51	43	8	1	1	15	12	11	9	2	—
VIII. Ill-defined and not specified causes ..	42	37	34	32	34	25	13	12	23	1	—	1	—	—	—	—

Causes of Deaths Registered in the Year ended December 31st, 1905.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Scrofula, tuberculosis	—	14	Diseases of locomotive system	—	2
Measles	—	—	Other constitutional diseases.	1	19	Diseases of integumentary system	1	2
Scarlet fever	—	2	V.					
Relapsing fever	—	—	Premature birth	17	—	VII.		
Influenza	—	1	Cyanosis	—	—	(Accident.)		
Whooping-cough	—	—	Congenital defects	5	2	Fracture and contusion	—	27
Diphtheria	1	3	Old age	—	86	Gunshot wound	—	—
Simple and ill-defined fever..	1	—	VI.			Cut, stab	—	1
Enteric fever	—	9	Apoplexy	1	27	Burn and scald	—	3
Simple cholera	1	—	Epilepsy	—	2	Poison	—	—
Diarrhoea, dysentery	4	10	Convulsions	5	—	Drowning	—	5
Remittent fever	—	—	Other diseases of brain and nervous system	2	46	Suffocation	—	—
Venereal affections	3	—	Diseases of organs of special sense	1	—	Otherwise	1	2
Erysipelas	—	1	Diseases of circulatory system	1	109	(Homicide.)		
Pyæmia, septicæmia	—	6	Croup	—	—	Murder and manslaughter ..	—	—
Puerperal fever	—	3	Bronchitis	8	17	(Suicide.)		
Other zymotic diseases	—	1	Pneumonia	2	22	Gunshot wound	—	2
II.			Pleurisy	—	3	Cut, stab	—	5
Thrush	1	—	Other diseases of respiratory system	—	8	Poison	—	2
Worms and other parasitical diseases	—	9	Dentition	—	—	Drowning	—	2
III.			Quinsy, sore throat	—	—	Hanging	—	—
Privation, want of breast milk	1	1	Enteritis	8	17	Otherwise	—	—
Alcoholism	—	1	Peritonitis	—	5	(Execution.)		
IV.			Diseases of liver	—	11	Hanging	—	1
Rheumatic fever and rheumatism of heart	—	4	Other diseases of digestive system	2	23	VIII.		
Rheumatism	—	1	Diseases of lymphatic system and of ductless glands....	—	4	Dropsy	—	—
Gout	—	69	Diseases of urinary system..	—	51	Debility, atrophy, inanition.	23	1
Cancer, malignant disease ..	—	—	Diseases of generative system	—	9	Mortification	—	—
Tabes mesenterica	—	8	Accidents of childbirth	—	5	Tumor	—	—
Tubercular meningitis	2	—				Abscess	—	1
Phthisis	—	85				Hæmorrhage	—	—
						Sudden, cause unascertained.	—	—
						Other ill-defined and not specified causes	—	—

No. 23.—RETURN of Births and Deaths Registered in each Ward of the City of Adelaide (exclusive of Deaths in Public Institutions* of persons not usually resident in the city) in the Year ended December 31st, 1905.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres.....	3,778	608	627	567	727	612	637
Estimated mean population.....	39,835	6,151	6,147	8,601	10,169	3,753	5,014
Persons to an acre	10.5	10.1	9.8	15.2	14.0	6.1	7.9
Births	854	112	130	178	268	76	90
Male	418	57	64	74	133	32	58
Female	436	55	66	104	135	44	32
Deaths	615	129	78	121	148	53	86
Male	325	90	37	65	62	25	46
Female	290	39	41	56	86	28	40
CLASSES.							
I. Specific febrile or zymotic diseases	30	6	4	3	9	3	5
II. Parasitic diseases	5	—	—	1	2	2	—
III. Dietic diseases	2	1	—	1	—	—	—
IV. Constitutional diseases	141	21	17	43	32	9	19
V. Developmental diseases	98	43	6	18	14	4	13
VI. Local diseases	288	46	43	51	74	33	41
VII. Violence	26	9	3	1	6	2	5
VIII. Ill-defined and not specified causes	25	3	5	3	11	—	3
Rate per 1,000 of mean population of each ward	15.44	20.97	12.69	14.07	14.55	14.12	17.15

* The Destitute Asylum (including the Lying-in Department), the Adelaide Hospital, and the Consumptive Home.

Causes of Deaths Registered in the Year ended December 31st, 1905.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Other constitutional diseases.	1	14	Diseases of locomotive system	—	1
Measles	—	—	V.			Diseases of integumentary system	1	1
Scarlet fever	—	2	Premature birth	17	—			
Relapsing fever	—	—	Cyanosis	—	—	VII.		
Influenza	—	1	Congenital defects	5	2	(Accident.)		
Whooping-cough	—	—	Old age	—	74	Fracture and contusion	—	8
Diphtheria	1	3				Gunshot wound	—	—
Simple and ill-defined fever..	1	—	VI.			Cut, stab	—	—
Enteric fever	—	3	Apoplexy	1	21	Burn and scald.....	—	3
Simple cholera	1	—	Epilepsy	—	2	Poison	—	—
Diarrhoea, dysentery.....	4	7	Convulsions	5	—	Drowning	—	5
Remittent fever	—	—	Other diseases of brain and nervous system	2	35	Suffocation	—	—
Venereal affections	3	—	Diseases of organs of special sense.....	1	—	Otherwise	1	1
Erysipelas	—	—	Diseases of circulatory system	1	79	(Homicide.)		
Pyæmia and septicæmia	—	2	Croup.....	—	—	Murder and manslaughter ..	—	—
Puerperal fever	—	1	Bronchitis.....	8	16	(Suicide.)		
Other zymotic diseases	—	1	Pneumonia	2	16	Gunshot wound	—	2
II.			Pleurisy	—	2	Cut, Stab	—	3
Thrush	1	—	Other diseases of respiratory system	—	7	Poison	—	1
Worms and other parasitical diseases	—	4	Dentition	—	—	Drowning	—	2
III.			Quinsy, sore throat	—	—	Hanging	—	—
Privation — want of breast milk	1	—	Enteritis	8	12	Otherwise	—	—
Alcoholism	—	1	Peritonitis.....	—	3	(Execution.)		
IV.			Diseases of liver	—	8	Hanging	—	—
Rheumatic fever and rheumatism of heart	—	4	Other diseases of digestive system.....	2	17	VIII.		
Rheumatism	—	1	Diseases of lymphatic system and of ductless glands ..	—	3	Dropsy	—	—
Gout	—	—	Diseases of urinary system..	—	24	Debility, atrophy, inanition.	23	1
Cancer, Malignant Disease ..	—	45	Diseases of generative system	—	7	Mortification	—	—
Tabes Mesenterica.....	—	—	Accidents of childbirth	—	3	Tumor	—	—
Tubercular Meningitis	2	6				Abscess	—	1
Phthisis	—	59				Hæmorrhage.....	—	—
Serofula, Tuberculosis	—	9				Sudden, cause unascertained.	—	—
						Other ill-defined and not specified causes	—	—

No. 24.—RETURN of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in the Years 1900-1905.

Years	1900.	1901.	1902.	1903.	1904.	1905.										
*Population, Mean	354,268	357,556	359,968	361,724	365,586	370,791										
Births	9,143	9,079	8,927	8,475	9,100	Total, 8,832—Males, 4,491 ; females, 4,341										
Rate per 1,000 of population	25·81	25·39	24·80	23·43	24·89	23·82										
Deaths—						All Ages.			Under 1 Year	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards	Not stated.
						Total.	M.	F.								
						3,761	2,003	1,758								
All causes.....	3,774	3,974	4,236	3,873	3,719	3,761	2,003	1,758	643	165	251	540	689	1,092	381	—
Rate per 1,000 of population	10·65	11·11	11·77	10·71	10·17	10·14	—	—	—	—	—	—	—	—	—	—
DISEASES.																
I. Specific Febrile or Zymotic	423	446	643	401	296	238	118	120	78	26	30	44	23	29	8	—
II. Parasitic	14	8	14	17	13	18	10	8	2	—	1	5	7	3	—	—
III. Dietic	18	33	19	14	14	12	10	2	4	1	1	2	2	—	—	—
IV. Constitutional	662	686	710	742	670	705	320	385	11	14	71	210	190	194	15	—
V. Developmental.....	413	403	520	471	505	533	253	280	140	1	1	1	—	169	221	—
VI. Local.....	1,796	1,949	1,914	1,847	1,810	1,854	1,014	840	276	100	106	205	399	640	128	—
VII. Violence	240	240	222	216	233	264	206	58	20	16	40	68	63	48	9	—
VIII. Ill-defined and not specified causes ..	208	209	194	165	178	137	72	65	112	7	1	5	5	7	—	—

* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese) and also of the number of the full-blood aborigines.

No. 25.—RETURN showing the Births and Deaths Registered in the Corporate Towns specified in the Year 1905.

Corporate Towns.	Estimated Mean Population.	Registered during Year.			The Deaths Registered in the Year include Deaths from—									Birth and Death Rates per 1,000 living.	
		Births.	Deaths.		Measles	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Diseases of Respiratory System.	Phthisis.	Diseases of Circulatory System.	Births.	Deaths.
			Total	Under One Year.											
Adelaide	39,835	854	842	92	—	2	4	—	9	14	60	85	110	21'44	21'14
Hindmarsh	10,848	248	86	23	—	—	—	—	—	3	6	8	13	22'86	7'93
Thebarton	5,933	159	49	16	—	—	—	—	—	—	2	1	13	26'80	8'26
Port Adelaide	21,342	516	184	39	—	—	—	1	—	7	24	14	18	24'18	8'62
Glenelg	4,077	82	31	4	—	—	—	—	—	—	2	1	5	20'11	7'60
Brighton	1,169	15	10	—	—	—	—	—	1	—	1	1	2	12'80	8'55
Unley	19,808	485	221	37	—	1	—	—	—	3	20	16	28	24'49	11'16
St. Peters	8,405	158	44	8	—	—	—	—	—	1	1	4	12	18'80	5'23
Kensington and Norwood....	12,917	274	125	26	—	—	—	—	1	6	11	11	15	21'21	9'68
Gawler	1,940	61	23	4	—	—	—	—	1	2	1	1	6	31'44	11'86
Kapunda	1,746	45	18	3	—	—	—	—	—	—	2	—	4	25'77	10'31
Burra	1,918	69	30	1	—	—	—	—	—	—	2	1	3	35'98	15'64
Clare	724	30	16	3	—	—	—	—	—	—	4	1	2	41'44	22'10
Jamestown	967	62	20	1	—	—	—	—	1	—	3	—	1	64'12	20'68
Port Augusta	886	32	8	3	—	—	—	—	—	—	1	—	2	36'12	9'03
Port Pirie	9,675	318	122	47	—	1	—	—	9	6	17	8	13	32'87	12'61
Kadina	1,847	110	25	8	—	—	—	—	2	1	3	1	3	59'56	13'54
Moonta	1,658	56	12	1	—	—	—	—	—	—	2	1	2	33'78	7'24
Wallaroo	3,446	97	42	6	—	—	—	—	1	1	6	1	5	28'15	12'19
Goolwa	565	16	6	1	—	—	—	—	—	—	—	1	1	28'32	10'62
Strathalbyn	894	39	16	2	—	—	—	—	1	—	1	3	2	43'62	17'90
Moult Gambier	3,378	126	54	10	—	—	—	—	—	10	6	2	8	37'30	15'99
Petersburg	2,620	78	18	5	—	—	—	—	1	—	4	2	—	29'77	6'87

No. 26.—COMPARATIVE RETURN showing Number of Deaths Registered in South Australia (exclusive of the Northern Territory) from each Cause in 1905, arranged in Order of Fatality, and each corresponding Number in 1904.

Order of Fatality.	Causes of Death.	1905.			1904.	Order of Fatality.	Causes of Death.	1905.			1904.
		Total.	Under 5 years.	5 years and above.				Total.	Under 5 years.	5 years and above.	
1	Diseases of circulatory system not separately classed	422	9	413	388	37	Puerperal fever	9	—	9	25
2	Old age	390	—	390	391	38	Idiopathic tetanus	9	4	5	4
3	Phthisis	279	1	278	289	39	Softening of brain	9	—	9	3
4	Cancer, malignant disease	249	1	248	226	40	Scarlet fever	8	3	5	10
5	Pneumonia	180	61	119	177	41	Diphtheria	7	2	5	18
6	Enteritis	151	99	52	144	42	Aneurism	7	—	7	11
7	Bronchitis	134	53	81	117	43	Accidents of childbirth not separately classed	7	—	7	9
8	Apoplexy	122	1	121	124	44	Suffocation (accidental)	7	5	2	7
9	Debility, atrophy, inanition	120	117	3	151	45	Starvation, want of breast milk	7	4	3	5
10	Premature birth	118	118	—	93	46	Diseases of organs of locomotion not separately classed	7	—	7	5
11	Diarrhoea, dysentery	107	70	37	100	47	Croup	7	3	4	4
12	Fracture and contusion (accidental)	91	6	85	83	48	Placenta praevia, flooding	7	—	7	3
13	Bright's disease	85	3	82	87	49	Whooping cough	6	6	—	25
14	Inflammation of the brain or its membranes	56	31	25	41	50	Erysipelas	6	2	4	13
15	Convulsions (except puerperal)	48	47	1	52	51	Atelectasis	6	6	—	6
16	Diabetes mellitus	48	1	47	26	52	Syphilis	6	5	1	2
17	Endocarditis, valvular disease of heart	41	—	41	57	53	Puerperal convulsions	5	—	5	12
18	Enteric fever	41	3	38	32	54	Gurshot wounds (accidental)	5	—	5	7
19	Forms of tuberculosis not separately classed	40	4	36	46	55	Sore throat, quinsy	5	4	1	6
20	Drowning (accidental)	40	1	39	31	56	Urinary calculus	5	—	5	6
21	Diseases of the nervous system not separately classed	39	3	36	36	57	Abortion, miscarriage	5	—	5	5
22	Acute nephritis	29	3	26	38	58	Ulceration of intestine	5	—	5	4
23	Tubercular meningitis (acute hydrocephalus)	28	16	12	25	59	Paralysis agitans	5	—	5	1
24	Diseases of respiratory system not separately classed	28	6	22	18	60	Gallstones	4	—	4	7
25	Influenza	27	4	23	45	61	Laryngitis	4	2	2	6
26	Disease of stomach	27	5	22	27	62	Simple cholera	4	4	—	2
27	Pleurisy	25	2	23	18	63	Ovarian disease	4	—	4	2
28	Ileus, obstruction of intestine	23	1	22	22	64	Eczema	4	1	3	1
29	Diseases of bladder and prostate	22	—	22	19	65	Addison's disease	4	—	4	—
30	Paralysis undefined or not separately classed	21	—	21	20	66	Caries, necrosis	3	—	3	11
31	Anæmia, chlorosis, leucocythæmia	20	—	20	17	67	Rheumatism (except of heart and rheumatic fever)	3	—	3	9
32	Diseases of liver (except cirrhosis and gallstones)	19	9	10	26	68	Chronic alcoholism	3	—	3	8
33	Hemiplegia, brain paralysis	19	—	19	25	69	Intussusception of intestine	3	3	—	7
34	Rheumatic fever, rheumatism of heart	19	—	19	17	70	Dyspepsia	3	1	2	6
35	Emphysema, asthma	19	—	19	15	71	Otitis, otorrhœa, and disease of ear	3	2	1	6
36	Embolism, thrombosis	19	—	19	14	72	Spina bifida	3	3	—	4
37	Sunstroke, heat-apoplexy, heat	19	6	13	8	73	Pericarditis	3	—	3	2
38	Uræmia	18	—	18	5	74	Bronchocele	3	—	3	2
39	Insanity, general paralysis of insane	17	—	17	31	75	Gout	3	—	3	1
40	Burn, scald (accidental)	17	6	11	28	76	Murder, manslaughter	2	1	1	3
41	Paraplegia, disease of spinal cord	17	—	17	20	77	Senile gangrene	2	—	2	3
42	Diseases of urinary system not separately classed	17	—	17	17	78	Hæmorrhage undefined or ill-defined	2	1	1	2
43	Epilepsy	17	—	17	14	79	Dropsy undefined or ill-defined	2	—	2	2
44	Hydatid disease	16	—	16	12	80	Phlegmon, cellulitis	2	—	2	2
45	Syncope	15	6	9	18	81	Laryngismus stridulus	2	1	1	1
46	Cirrhosis of liver	15	—	15	17	82	Cyanosis	2	2	—	1
47	Constitutional diseases not separately classed	15	1	14	6	83	Simple and ill-defined fever	2	2	—	—
48	Peritonitis (except puerperal and tubercular)	14	1	13	27	84	Thrush	2	2	—	—
49	Dentition	13	13	—	12	85	Cerebro-spinal fever	1	1	—	4
50	Accidents not separately classed	13	9	4	12	86	Stomatitis	1	—	1	3
51	Hernia	13	—	13	8	87	Diseases of integumentary system not separately classed	1	—	1	3
52	Cut, stab (suicidal)	12	—	12	4	88	Diseases of lymphatic system	1	—	1	3
53	Ill-defined and unspecified causes not separately classed	12	1	11	20	89	Purpura, hæmorrhagic diathesis	1	1	—	2
54	Poisoning (accidental)	12	2	10	11	90	Gonorrhœa, stricture of urethra	1	—	1	2
55	Congenital defects not separately classed	12	10	2	10	91	Suppression of urine	1	—	1	1
56	Gunshot wounds (suicidal)	12	—	12	6	92	Hypertrophy of heart	1	—	1	1
57	Pyæmia, septicæmia	11	1	10	14	93	Abscess undefined or ill-defined	1	—	1	1
58	Poisoning (suicidal)	11	—	11	11	94	Chorea	1	—	1	1
59	Drowning (suicidal)	11	—	11	2	95	Malarial disease, not separately classed	1	—	1	1
60	Hanging (suicidal)	10	—	10	15	96	Scurvy	1	1	—	1
61	Diseases of digestive system not separately classed	10	1	9	10	97	Ulcer, bed sore	1	—	1	1
62	Diseases of uterus and vagina	10	—	10	9	98	Cut, stab (accidental)	1	—	1	1
63	Angina pectoris	10	—	10	3	99	Hanging (execution)	1	—	1	1
						100	Pemphigus	1	1	—	—
							Chicken-pox	1	1	—	—
							Delirium tremens	1	—	1	—
							Cleft palate, harelip	1	1	—	—
							Imperforate anus	1	1	—	—
							Varicose veins	1	—	1	—
							Diseases of larynx and trachea except croup and laryngitis	1	—	1	—
							Stricture or strangulation of intestine	1	—	1	—
							Puerperal mania	1	—	1	—

No. 27.—DECENNIAL RETURN showing the Total Deaths in each Class and Order Registered in South Australia (exclusive of the Northern Territory).

	1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL CAUSES	2,121	1,917	2,192	1,781	2,584	2,091	2,362	2,044	1,994	1,780	2,206	1,768	2,316	1,920	2,171	1,702	2,019	1,700	2,003	1,758
I.—SPECIFIC FEBRILE OR ZYMOTIC DISEASES	261	293	236	227	389	383	379	398	210	213	238	208	329	314	197	204	145	151	118	120
II.—PARASITIC DISEASES	9	5	11	6	4	3	6	6	6	8	5	3	9	5	9	8	10	3	10	8
III.—DIETIC DISEASES	15	11	25	8	25	17	20	3	12	6	26	7	12	7	8	6	11	3	16	2
IV.—CONSTITUTIONAL DISEASES.....	353	345	367	298	348	315	348	335	334	328	336	350	355	355	368	374	310	360	320	385
V.—DEVELOPMENTAL DISEASES.....	228	213	269	185	295	246	249	233	212	201	208	195	272	248	283	188	268	237	253	280
VI.—LOCAL DISEASES	921	851	965	871	1,119	887	1,023	875	938	858	1,081	868	1,063	851	1,040	807	995	815	1,014	840
VII.—VIOLENCE	190	70	179	74	220	98	200	88	177	63	189	51	166	56	171	45	172	61	206	58
VIII.—ILL-DEFINED AND NOT SPECIFIED CAUSES	144	129	140	112	184	142	137	106	105	103	123	86	110	84	95	70	108	70	72	65
I.																				
1. Miasmatic Diseases	100	95	89	85	204	203	259	264	82	92	113	93	236	216	97	97	67	68	52	41
2. Diarrhoeal Diseases	134	120	131	112	163	139	99	95	112	100	113	88	76	75	86	80	60	42	58	53
3. Malarial Diseases	1	—	—	1	2	—	1	—	1	—	1	—	1	1	1	—	2	—	1	—
4. Zoogenous Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5. Venereal Diseases	3	2	3	3	4	2	3	3	7	3	4	4	8	2	3	—	3	1	2	5
6. Septic Diseases	23	76	13	26	16	39	17	36	8	18	7	23	8	20	10	27	12	40	5	21
II.																				
Parasitic Diseases	9	5	11	6	4	3	6	6	6	8	5	3	9	5	9	8	10	3	10	8
III.																				
Dietic Diseases	15	11	25	8	25	17	20	3	12	6	26	7	12	7	8	6	11	3	10	2
IV.																				
Constitutional Diseases	353	345	367	298	348	315	348	335	334	328	336	350	355	355	368	374	310	360	320	385
V.																				
Developmental Diseases	228	213	269	185	295	246	249	233	212	201	208	195	272	248	283	188	268	237	253	280
VI.																				
1. Diseases of Nervous System.....	223	206	216	203	234	182	233	203	205	181	225	189	222	191	243	151	198	175	215	167
2. Organs of Special Sense	5	8	2	7	3	—	1	1	1	—	4	2	2	3	1	5	—	1	3	—
3. Circulatory System	166	160	217	189	235	192	216	187	221	212	258	216	265	217	231	206	280	217	274	247
4. Respiratory System	233	182	225	167	269	189	262	207	224	177	248	174	230	158	226	163	200	155	227	171
5. Digestive System	191	195	200	196	238	191	199	162	177	182	214	174	221	183	205	196	170	159	160	147
6. Lymphatic System and Ductless Glands	5	3	2	4	6	10	4	7	4	3	7	5	5	5	1	3	4	2	2	6
7. Urinary System.....	84	47	79	51	109	59	91	57	96	43	107	51	97	50	117	45	121	52	122	55
8. Reproductive System—																				
(a) Diseases of Organs of Generation	2	11	1	16	1	16	—	15	1	11	1	9	—	9	—	10	—	13	—	14
(b) Diseases of Parturition	—	30	—	28	—	29	—	22	—	35	—	32	—	24	—	21	—	29	—	25
9. Organs of Locomotion	8	7	16	7	16	11	6	10	4	13	12	10	12	7	9	6	13	7	6	4
10. Integumentary System	4	2	7	3	8	8	11	4	5	1	5	6	9	4	7	5	4	5	5	4
VII.																				
1. Accident or Negligence	160	61	136	62	182	88	175	72	150	55	145	49	132	51	128	39	136	52	158	47
2. Homicide	6	2	2	2	5	3	4	—	—	1	5	—	2	2	4	2	—	3	1	1
3. Suicide	24	7	40	10	36	5	22	12	26	7	39	2	32	3	39	4	35	6	46	10
4. Execution	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—
VIII.																				
Ill-defined and not specified causes.....	144	129	140	112	184	142	137	106	105	103	123	86	110	84	95	70	108	70	72	65

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued.*

CLASS.	Cause of Death.	1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
I.	<i>Miasmatic Diseases.</i>																				
	Smallpox	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Chicken-pox	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1
	Measles	—	—	—	—	25	29	8	19	1	1	2	3	130	105	1	4	—	—	—	—
	Epidemic Rose Rash	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlet Fever	2	2	3	4	11	4	6	10	1	4	—	1	—	—	9	10	6	4	6	2
	Influenza	31	28	19	18	12	21	114	104	22	24	19	17	16	25	10	14	22	23	16	11
	Whooping Cough	3	14	—	—	57	55	52	54	11	18	24	27	13	23	27	33	9	16	4	2
	Mumps	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
	Diphtheria	11	10	8	14	15	23	20	20	12	20	13	6	16	11	11	10	9	9	2	5
	Cerebro-spinal Fever	—	—	—	—	—	—	—	—	—	—	12	9	15	6	5	3	3	1	—	1
	Simple and ill-defined Fever	1	—	—	2	5	2	1	2	—	—	—	—	2	—	—	—	—	—	1	1
	Enteric Fever	52	41	59	47	77	68	57	54	32	25	42	30	44	45	34	23	17	15	23	18
	Other Miasmatic Diseases	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
	<i>Diarrhœal Diseases.</i>																				
	Simple Cholera	5	5	5	5	2	6	2	—	3	4	3	2	—	1	4	2	1	1	4	—
	Diarrhœa, Dysentery	129	115	126	107	161	133	97	95	109	96	110	86	76	74	82	78	59	41	54	53
	<i>Malarial Diseases.</i>																				
	Remittent Fever	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Ague, Intermittent Fever	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	Other Malarial Diseases	—	—	—	—	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—
	<i>Zoogenous Diseases.</i>																				
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	<i>Venereal Diseases.</i>																				
	Syphilis	2	2	1	3	4	2	1	3	4	3	—	4	5	2	1	—	1	1	1	5
	Gonorrhœa, Stricture of Urethra ..	1	—	2	—	—	—	2	—	3	—	4	—	3	—	2	—	2	—	1	—
	<i>Septic Diseases.</i>																				
	Phagedæna	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas	15	14	9	7	9	4	4	5	2	5	2	3	5	3	6	6	5	8	2	4
	Pyæmia, Septicæmia	8	14	4	8	7	4	13	12	6	3	5	9	3	6	4	3	7	7	3	8
	Puerperal Fever	—	48	—	11	—	31	—	18	—	10	—	11	—	11	—	18	—	25	—	9
II.	<i>Parasitic Diseases.</i>																				
	Thrush	3	1	2	3	—	—	—	3	—	3	—	—	—	1	1	2	—	—	1	1
	Other Diseases from Vegetable Parasites	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	Hydatid Disease	6	4	8	3	4	3	5	3	6	4	5	3	9	4	8	6	9	3	9	7
	Other Diseases from Animal Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
III.	<i>Dietic Diseases.</i>																				
	Starvation, Want of Breast Milk ..	8	7	15	7	19	13	13	2	7	3	15	1	7	5	6	2	4	1	6	1
	Scurvy	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	1
	Intemperance { Chronic Alcoholism ..	6	4	5	1	4	4	7	1	4	3	8	6	4	2	2	3	6	2	3	—
	{ Delirium Tremens ..	1	—	5	—	2	—	—	—	1	—	2	—	1	—	—	—	—	—	1	—
IV.	<i>Constitutional Diseases.</i>																				
	Rheumatic Fever, Rheumatism of Heart	5	13	8	7	8	12	6	10	8	13	5	7	7	8	13	10	8	9	6	13
	Rheumatism	3	3	6	4	5	4	1	3	3	2	1	6	2	2	3	2	6	3	1	2
	Gout	7	—	6	—	3	—	1	—	2	—	1	2	1	—	2	—	1	—	3	—
	Cancer, Malignant Disease	98	88	107	78	95	89	104	99	103	107	105	111	126	141	133	128	112	114	118	131
	Tabes Mesenterica	3	6	9	5	4	7	9	8	5	2	1	3	3	2	1	—	—	5	—	—
	Tubercular Meningitis (Acute Hydrocephalus)	18	21	28	21	20	14	16	17	18	10	16	18	18	12	17	23	9	16	15	13
	Phthisis	153	155	165	143	179	138	169	143	147	152	155	147	147	145	146	150	132	157	130	149
	Other forms of Tuberculosis, Scrofula ..	38	27	21	18	15	24	22	28	26	23	121	20	23	24	27	24	19	27	18	22
	Anæmia, Chlorosis, Leucocythæmia ..	9	11	5	5	4	10	3	11	14	6	9	14	8	6	7	12	8	9	6	14
	Diabetes Mellitus	18	15	8	13	13	13	14	10	5	11	13	15	12	9	16	15	12	14	19	29
	Other Constitutional Diseases	1	6	4	4	2	4	3	6	3	2	9	7	8	6	3	9	3	6	4	12
V.	<i>Developmental Diseases.</i>																				
	Premature Birth	53	44	57	39	63	43	64	49	58	54	46	34	56	52	72	35	52	41	69	49
	Atelectasis	5	2	5	5	7	4	7	1	4	9	4	—	2	2	5	4	4	2	1	5
	Cyanosis	—	—	1	—	2	2	3	1	2	—	—	—	1	—	—	—	1	—	2	—
	Spina Bifida	2	5	2	—	3	2	1	3	2	—	1	3	2	1	3	1	2	2	1	2
	Imperforate Anus	2	1	2	—	3	1	2	—	3	—	—	1	—	—	—	—	—	—	—	1
	Cleft Palate, Harelip	1	—	—	2	—	2	3	1	2	—	2	—	—	—	2	1	—	—	1	—
	Other Congenital Defects	5	4	5	1	5	3	11	5	3	4	6	6	12	9	6	5	6	4	8	4
	Old Age	160	157	197	138	212	189	158	173	138	133	151	146	199	184	195	142	203	188	171	219
VI.	<i>Diseases of Nervous System.</i>																				
	Inflammation of Brain or its Membranes	32	30	38	35	40	31	38	37	29	34	35	24	33	33	31	17	20	21	29	27
	Apoplexy	50	56	41	54	45	42	45	47	50	60	66	57	56	69	66	59	57	67	69	53
	Softening of Brain	5	4	3	6	2	2	4	6	8	1	3	3	2	1	4	3	1	2	5	4

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued.*

CLASS.	Cause of Death.	1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
<i>Diseases of Nervous System—contd.</i>																					
Hemiplegia, Brain Paralysis	7	4	9	7	6	6	11	8	4	6	9	5	10	9	6	8	9	16	10	9	
Insanity, General Paralysis of Insane	31	12	16	21	24	15	20	21	28	18	19	16	22	8	37	10	21	10	10	7	
Chorea	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	
Epilepsy	3	6	8	5	9	8	10	6	12	7	8	10	12	7	7	10	8	6	9	8	
Convulsions	51	51	59	46	56	50	61	39	30	30	45	41	47	26	40	21	32	20	22	26	
Laryngismus Stridulus	1	1	1	—	2	—	1	1	—	—	1	1	—	1	—	—	1	—	2	—	
Idiopathic Tetanus	1	3	3	—	9	2	5	—	2	1	2	3	5	2	3	1	4	—	7	2	
Paraplegia, Disease of Spinal Cord	4	8	6	6	14	3	12	6	9	6	5	9	12	7	13	8	12	8	10	7	
Other Diseases of Nervous System..	38	29	32	23	27	23	26	32	33	18	33	20	22	28	35	13	33	24	42	23	
<i>Diseases of Organs of Special Sense.</i>																					
Otitis, Otorrhœa, and Disease of Ear	4	8	1	5	2	—	1	—	—	—	3	2	2	3	1	—	5	1	3	—	
Ophthalmia and Disease of Eye.....	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epistaxis and Disease of Nose ...	—	—	1	—	1	—	—	1	1	—	1	—	—	—	—	1	—	—	—	—	
<i>Diseases of Circulatory System.</i>																					
Endocarditis, Valvular Disease	11	11	22	20	15	25	27	19	12	23	22	15	29	25	28	26	32	25	21	20	
Pericarditis	1	1	4	4	—	—	1	1	2	2	1	1	2	1	3	1	2	—	2	1	
Hypertrophy of Heart	—	—	—	—	1	1	—	—	—	1	3	1	1	1	1	—	—	1	—	1	
Angina Pectoris	2	—	11	2	4	2	3	2	4	6	5	2	6	1	3	1	2	1	4	6	
Syncope	8	12	6	17	13	10	7	10	7	9	10	10	5	5	9	10	11	7	6	9	
Aneurism	9	1	7	—	8	—	7	1	10	1	10	1	9	—	3	2	9	2	6	1	
Senile Gangrene	1	2	—	—	2	—	2	2	1	3	1	1	1	2	1	3	3	—	—	2	
Embolism, Thrombosis	4	10	4	10	3	6	12	7	8	8	8	11	9	10	5	7	5	9	8	11	
Phlebitis	—	—	—	3	—	—	—	1	1	—	—	—	—	3	—	—	—	—	—	—	
Varicose Veins	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
Other Diseases of Circulatory System	130	123	163	133	189	148	157	144	176	159	198	174	203	169	178	156	216	172	227	195	
<i>Diseases of Respiratory System.</i>																					
Laryngitis	4	3	2	2	6	1	5	6	4	—	3	5	4	4	2	—	3	3	1	3	
Croup	2	2	7	5	10	4	7	2	5	1	3	—	4	4	2	2	2	4	3	3	
Other diseases of Larynx and Trachea	—	—	1	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—	1	
Emphysema, Asthma	12	2	8	7	10	6	16	15	7	3	8	3	9	4	9	5	13	2	14	5	
Bronchitis	74	70	65	53	78	65	86	77	85	72	73	59	56	56	67	69	61	56	69	65	
Pneumonia	117	88	117	79	144	93	120	90	102	89	125	93	136	77	123	75	104	73	104	76	
Pleurisy	13	8	15	8	10	11	12	5	11	5	17	2	6	8	13	7	9	9	15	10	
Other Diseases of Respiratory System	11	9	10	13	11	9	14	11	10	7	19	11	15	5	10	5	8	10	20	8	
<i>Diseases of Digestive System.</i>																					
Stomatitis	1	1	1	—	1	3	2	1	1	2	1	—	2	1	1	2	1	2	1	—	
Dentition	23	29	24	24	37	13	19	15	15	15	18	19	13	12	13	7	5	5	5	8	
Sore Throat, Quinsy	2	4	1	1	4	2	3	3	1	2	1	—	1	—	1	2	4	2	3	2	
Dyspepsia	5	7	3	3	7	3	2	1	2	1	3	1	1	4	3	6	2	4	2	1	
Hæmatemesis	2	3	1	—	—	1	—	—	3	1	3	—	2	—	3	1	—	—	—	—	
Melæna	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	
Disease of Stomach.....	10	16	17	8	6	12	10	5	11	14	11	11	14	16	14	17	13	14	13	14	
Enteritis	77	54	83	80	108	87	80	75	75	76	107	77	111	75	90	87	78	66	88	63	
Ulceration of Intestine	2	—	2	4	3	—	1	2	—	1	—	1	4	3	3	2	3	1	2	3	
Ileus, Obstruction of Intestine	13	12	13	15	13	13	11	6	7	11	16	8	10	10	8	10	12	10	7	16	
Stricture or Strangulation of Intestine	2	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—	
Intussusception of Intestine	2	—	—	2	—	2	—	5	2	1	2	2	2	4	—	4	3	2	1	—	
Hernia	5	4	4	5	6	3	7	7	6	4	5	4	6	10	4	6	2	5	8	—	
Fistula	—	—	—	—	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	
Peritonitis.....	7	31	14	15	17	21	17	16	8	21	9	16	6	19	12	20	5	22	6	8	
Ascites	1	2	—	1	1	1	2	1	—	2	—	1	2	—	1	1	1	—	—	—	
Gallstones	1	3	3	4	—	5	1	2	3	6	4	7	5	6	4	1	3	4	—	4	
Cirrhosis of Liver	12	4	3	8	13	5	12	10	14	7	10	10	16	5	14	7	11	6	12	3	
Other Diseases of Liver	15	21	23	21	17	16	21	10	19	11	14	6	16	17	20	14	12	14	9	10	
Other Diseases of Digestive System	11	4	8	5	4	6	9	7	5	4	7	10	7	4	2	7	8	2	4	6	
<i>Diseases of Lymphatic System and Ductless Glands.</i>																					
Diseases of Lymphatic System	4	—	1	2	3	3	3	2	3	1	5	1	1	—	1	—	3	—	1	—	
Diseases of Spleen	—	1	1	—	—	3	1	—	—	—	1	—	1	—	—	—	1	—	—	—	
Bronchocele	—	2	—	1	1	4	—	3	—	1	1	4	—	1	—	2	—	2	1	2	
Adison's Disease	1	—	—	1	2	—	—	2	1	1	—	—	3	4	—	1	—	—	—	4	
<i>Diseases of Urinary System.</i>																					
Acute Nephritis	9	9	10	18	12	12	13	12	14	8	14	9	9	6	21	7	24	14	21	8	
Bright's Disease	38	24	30	25	48	36	41	33	39	27	42	30	45	31	50	33	57	30	56	29	
Ūræmia	5	5	9	2	5	5	3	3	5	5	7	3	10	7	8	1	3	2	10	8	
Suppression of Urine	2	—	—	—	2	—	—	—	2	—	1	—	—	—	2	—	—	—	1	—	
Calculus	4	1	—	1	4	1	6	1	1	—	4	1	5	1	2	—	4	2	4	1	
Hæmaturia	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Diseases of Bladder and of Prostate	19	2	20	1	25	2	16	—	19	—	31	1	18	2	25	1	19	—	22	—	
Other Diseases of Urinary System..	7	6	10	4	12	3	12	8	16	3	7	7	10	3	9	3	13	4	8	9	

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued*.

Class.	Cause of Death.	1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.		
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
VII.	<i>Diseases of Organs of Generation.</i>																					
	Ovarian Disease	—	3	—	5	—	5	—	4	—	4	—	2	—	1	—	3	—	2	—	4	—
	Diseases of Uterus and Vagina	—	4	—	10	—	11	—	9	—	5	—	5	—	5	—	6	—	9	—	10	—
	Disorders of Menstruation	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Pelvic Abscess	—	3	1	—	—	—	—	2	—	2	1	2	—	1	—	1	—	2	—	—	—
	Perineal Abscess	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Diseases of testes, scrotum, &c. ..	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Parturition.</i>																					
	Abortion, Miscarriage	—	4	—	1	—	2	—	2	—	6	—	5	—	3	—	1	—	5	—	5	—
	Puerperal Mania	—	1	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	—	—	1	—
	Puerperal Convulsions	—	2	—	6	—	3	—	3	—	1	—	8	—	4	—	4	—	12	—	5	—
	Placenta Prævia, Flooding	—	7	—	7	—	11	—	5	—	12	—	7	—	5	—	7	—	3	—	7	—
	Phlegmasia Dolens	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth	—	14	—	14	—	12	—	11	—	15	—	10	—	11	—	8	—	9	—	7	—
	<i>Diseases of Organs of Locomotion.</i>																					
	Caries, Necrosis	2	5	7	2	6	5	1	5	3	3	7	1	8	3	4	3	6	5	2	1	—
	Arthritis, Ostitis, Periostitis	2	2	3	—	3	1	2	2	—	4	2	5	1	2	2	2	3	1	—	—	—
	Other Diseases of Organs of Locomotion	4	—	6	5	7	5	3	3	1	6	3	4	3	2	3	1	4	1	4	3	—
	<i>Diseases of Integumentary System.</i>																					
	Carbuncle	1	—	1	1	1	1	2	—	—	—	2	1	6	—	1	2	1	—	—	—	—
	Phlegmon, Cellulitis	1	—	4	2	3	2	5	1	1	—	—	—	—	2	1	2	1	1	2	—	—
	Lupus	—	1	—	—	1	—	2	—	—	—	—	—	1	1	—	—	—	1	—	—	—
	Ulcer, Bedsore	1	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	—	—	1	—
	Eczema	1	1	2	—	2	3	—	2	1	2	—	1	1	1	1	1	1	—	2	2	—
	Pemphigus	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—
	Other Diseases of Integumentary System	—	—	—	—	1	1	2	3	1	—	1	3	1	—	3	—	—	3	—	1	—
	<i>Accident or Negligence.</i>																					
	Fracture and Contusion	72	16	58	13	68	13	65	12	75	6	71	10	71	5	52	10	71	12	81	10	—
	Gunshot Wounds	4	—	5	—	3	—	2	—	1	2	7	—	2	1	6	—	5	2	5	—	—
	Cut, Stab	1	—	—	—	—	1	1	1	—	1	1	—	—	1	—	—	—	1	1	—	—
Burn, Scald	11	19	11	17	12	27	8	23	8	18	9	15	13	23	7	9	13	15	5	12	—	
Poison	4	2	3	2	3	—	6	2	8	2	12	2	10	2	6	2	6	5	8	4	—	
Drowning	33	7	28	7	43	3	56	8	26	8	28	10	21	6	48	9	24	7	29	11	—	
Suffocation	7	3	2	3	4	—	2	4	11	2	4	3	5	4	1	2	6	1	3	4	—	
Otherwise	28	14	29	20	49	44	35	22	21	16	13	9	10	9	8	7	11	9	26	6	—	
<i>Homicide.</i>																						
Murder, Manslaughter	6	2	2	2	2	5	3	4	—	1	5	—	2	2	4	2	—	3	1	1	—	
Justifiable Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>Suicide.</i>																						
Gunshot Wounds	8	—	9	1	10	—	4	—	7	—	9	—	10	1	18	—	6	—	12	—	—	
Cut, Stab	3	1	10	—	8	1	7	—	5	2	8	—	8	—	2	—	3	1	10	2	—	
Poison	2	2	6	5	4	—	3	4	6	2	6	—	8	1	4	3	8	3	8	3	—	
Drowning	2	3	4	3	1	1	1	6	3	2	6	1	1	—	3	1	2	—	6	5	—	
Hanging	8	1	11	—	12	2	7	1	4	1	8	1	4	1	10	—	14	1	10	—	—	
Otherwise	1	—	—	1	1	1	—	1	1	—	2	—	1	—	2	—	2	1	—	—	—	
<i>Execution.</i>																						
Hanging	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	
<i>Ill-defined and Not Specified Causes.</i>																						
Dropsy	5	2	3	3	2	3	2	—	1	4	4	2	2	—	3	1	2	—	—	2	—	
Debility, Atrophy, Inanition	121	117	120	97	174	133	123	98	88	85	112	80	95	80	77	60	93	58	61	59	—	
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tumor	—	—	—	1	—	1	—	—	1	—	1	2	—	1	—	—	2	—	—	—	—	
Abscess	—	2	1	—	2	1	—	—	2	2	—	—	—	1	—	1	—	1	1	—	—	
Hæmorrhage	4	—	3	2	1	—	1	1	2	1	1	1	1	1	—	—	—	—	2	—	—	
Sudden Death (cause unascertained)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Ill-defined and not Specified Causes	14	8	13	9	5	4	11	7	11	11	5	1	12	1	13	7	9	11	8	4	—	

No. 28.—RETURN showing the Total Number of Deaths in South Australia (exclusive of the Northern Territory) from each cause during Ten Years, 1896-1905.

Class.	Causes of Death.						Total.	Males.	Females.
	ALL CAUSES						40,429	21,968	18,461
I.	SPECIFIC FERRILE OR ZYMOTIC DISEASES						5,013	2,502	2,511
II.	PARASITIC DISEASES						134	79	55
III.	DIETIC DISEASES						234	164	70
IV.	CONSTITUTIONAL DISEASES						6,884	3,439	3,445
V.	DEVELOPMENTAL DISEASES						4,763	2,537	2,226
VI.	LOCAL DISEASES						18,682	10,159	8,523
VII.	VIOLENCE						2,534	1,870	664
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES						2,185	1,218	967
	I.								
	1. Miasmatic Diseases						2,553	1,299	1,254
	2. Diarrhœal Diseases						1,936	1,032	904
	3. Malarial Diseases						13	11	2
	4. Zoogenous Diseases						1	1	—
	5. Venereal Diseases						65	40	25
	6. Septic Diseases						445	119	326
	II.								
	Parasitic Diseases						134	79	55
	III.								
	Dietic Diseases						234	164	70
	IV.								
	Constitutional Diseases						6,884	3,439	3,445
	V.								
	Developmental Diseases						4,763	2,537	2,226
	VI.								
	1. Diseases of Nervous System						4,062	2,214	1,848
	2. " Organs of Special Sense						50	27	23
	3. " Circulatory System						4,406	2,363	2,043
	4. " Respiratory System						4,087	2,344	1,743
	5. " Digestive System						3,760	1,975	1,785
	6. " Lymphatic System and Ductless Glands						88	40	48
	7. " Urinary System						1,533	1,023	510
	8. " Reproductive System—								
	(a) Diseases of Organs of Generation						130	6	124
	(b) Diseases of Parturition						275	—	275
	9. " Organs of Locomotion						184	102	82
	10. " Integumentary System						107	65	42
	VII.								
	1. Accident or Negligence						2,078	1,502	576
	2. Homicide						47	25	22
	3. Suicide						405	339	66
	4. Execution						4	4	—
	VIII.								
	Ill-defined and not Specified Causes						2,185	1,218	967
	<i>Miasmatic Diseases.</i>								
I.	Smallpox						2	2	—
	Chicken-pox						3	1	2
	Measles						328	167	161
	Epidemic Rose Rash						2	1	1
	Scarlet Fever						85	44	41
	Influenza						566	281	285
	Whooping Cough						442	200	242
	Mumps						2	1	1
	Diphtheria						245	117	128
	Cerebro-spinal Fever						55	35	20
	Simple and Ill-defined Fever						17	10	7
	Enteric Fever						803	437	366
	Other Miasmatic Diseases						3	3	—
	<i>Diarrhœal Diseases.</i>								
	Simple Cholera						55	29	26
	Diarrhœa, Dysentery						1,881	1,003	878
	<i>Malarial Diseases.</i>								
	Remittent Fever						3	1	2
	Ague, Intermittent Fever						3	3	—
	Other Malarial Diseases						7	7	—
	<i>Zoogenous Diseases.</i>								
	Glanders						—	—	—
	Splenic Fever						1	1	—

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class.	Cause of Death.	Total.	Males.	Females.
<i>Venereal Diseases.</i>				
	Syphilis	45	20	25
	Gonorrhœa, Stricture of Urethra	20	20	—
<i>Septic Diseases.</i>				
	Phagedaena	1	—	1
	Erysipelas	118	59	59
	Pyæmia, Septicæmia	134	60	74
	Puerperal Fever	192	—	192
<i>Parasitic Diseases.</i>				
II.	Thrush	21	7	14
	Other Diseases from Vegetable Parasites	3	2	1
	Hydatid Disease	109	69	40
	Other Diseases from Animal Parasites	1	1	—
<i>Dietic Diseases.</i>				
III.	Starvation, Want of Breast Milk	142	100	42
	Scurvy	4	2	2
	Intemperance { Chronic Alcoholism	75	49	26
	{ Delirium Tremens	13	13	—
<i>Constitutional Diseases.</i>				
IV.	Rheumatic Fever, Rheumatism of Heart	176	74	102
	Rheumatism	62	31	31
	Gout	29	27	2
	Cancer, Malignant Disease	2,187	1,101	1,086
	Tabes Mesenterica	74	35	39
	Tubercular Meningitis (Acute Hydrocephalus)	340	175	165
	Phthisis	3,002	1,523	1,479
	Other forms of Tuberculosis, Scrofula	467	230	237
	Anæmia, Chlorosis, Leucocythæmia	171	73	98
	Diabetes Mellitus	274	130	144
	Other Constitutional Diseases	102	40	62
<i>Developmental Diseases.</i>				
V.	Premature Birth	1,030	590	440
	Atelectasis	79	44	35
	Cyanosis	17	12	5
	Spina Bifida	38	19	19
	Imperforate Anus	16	12	4
	Cleft Palate, Harelip	18	9	9
	Other Congenital Defects	112	67	45
	Old Age	3,453	1,784	1,669
<i>Diseases of Nervous System.</i>				
VI.	Inflammation of Brain or its Membranes	614	325	289
	Apoplexy	1,109	545	564
	Softening of Brain	69	37	32
	Hemiplegia, Brain Paralysis	159	81	78
	Insanity, General Paralysis of Insane	366	228	138
	Chorea	6	1	5
	Epilepsy	159	86	73
	Convulsions	793	443	350
	Laryngismus Stridulus	13	9	4
	Idiopathic Tetanus	55	41	14
	Paraplegia, Disease of Spinal Cord	105	97	68
	Other Diseases of Nervous System	554	321	233
<i>Diseases of Organs of Special Sense.</i>				
	Otitis, Otorrhœa and Disease of Ear	41	22	19
	Ophthalmia and Disease of Eye	3	1	2
	Epistaxis, Disease of Nose	6	4	2
<i>Diseases of Circulatory System.</i>				
	Endocarditis, Valvular Disease	428	219	209
	Pericarditis	30	18	12
	Hypertrophy of Heart	12	6	6
	Angina Pectoris	67	44	23
	Syncope	181	82	99
	Aneurism	87	78	9
	Senile Gangrene	27	12	15
	Embolism, Thrombosis	155	66	89
	Phlebitis	8	1	7
	Varicose Veins	1	—	1
	Other Diseases of Circulatory System	3,410	1,837	1,573

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class.	Cause of Death.	Total.	Males.	Females.
Diseases of Respiratory System.				
Laryngitis		61	34	27
Croup		71	46	25
Other Diseases of Larynx and Trachea		6	3	3
Emphysema, Asthma		158	106	52
Bronchitis		1,356	714	642
Pneumonia		2,025	1,192	833
Pleurisy		194	121	73
Other Diseases of Respiratory System		216	128	88
Diseases of Digestive System.				
Stomatitis		24	12	12
Dentition		332	179	153
Sore Throat, Quinsy		43	22	21
Dyspepsia		61	30	31
Hæmatemesis		22	14	8
Melæna		3	2	1
Disease of Stomach		246	119	127
Enteritis		1,637	897	740
Ulceration of Intestines		37	20	17
Ileus, Obstruction of Intestines		221	110	111
Stricture, or Strangulation of Intestines		7	7	—
Intussusception of Intestines		34	22	12
Hernia		108	58	50
Fistula		4	2	2
Peritonitis		290	101	189
Ascites		17	8	9
Gallstones		66	24	42
Cirrhosis of Liver		182	117	65
Other Diseases of Liver		306	166	140
Other Diseases of Digestive System		120	65	55
Diseases of Lymphatic System and Ductless Glands.				
Diseases of Lymphatic System		34	25	9
Diseases of Spleen		9	5	4
Bronchocele		25	3	22
Addison's Disease		20	7	13
Diseases of Urinary System.				
Acute Nephritis		250	147	103
Bright's Disease		744	446	298
Uræmia		106	65	41
Suppression of Urine		11	11	—
Calculus		43	34	9
Hæmaturia		2	2	—
Diseases of Bladder and Prostate		223	214	9
Other Diseases of Urinary System		154	104	50
Diseases of Organs of Generation.				
Ovarian Disease		33	—	33
Diseases of Uterus and Vagina		74	—	74
Disorders of Menstruation		3	—	3
Pelvic Abscess		15	2	13
Perineal Abscess		2	1	1
Diseases of Testes, Scrotum, &c.		3	3	—
Diseases of Parturition.				
Abortion, Miscarriage		34	—	34
Puerperal Mania		8	—	8
Puerperal Convulsions		48	—	48
Placenta Prævia, Flooding		71	—	71
Phlegmasia Dolens		3	—	3
Other Accidents of Childbirth		111	—	111
Diseases of Organs of Locomotion.				
Caries, Necrosis		79	46	33
Arthritis, Ostitis, Periostitis		37	18	19
Other Diseases of Organs of Locomotion		68	38	30
Diseases of Integumentary System.				
Carbuncle		20	15	5
Phlegmon, Cellulitis		28	18	10
Lupus		7	4	3
Ulcer, Bedsore		6	3	3
Eczema		23	14	9
Pemphigus		3	2	1
Other Diseases of Integumentary System		20	9	11

No. 28.—RETURN of the Total Number of Deaths, &c.—continued.

Class.	Cause of Death.							Total.	Males.	Females
VII.	<i>Accident or Negligence.</i>									
	Fracture and Contusion	791	684	107
	Gunshot Wounds	45	40	5
	Cut, Stab	9	4	5
	Burn, Scald	275	97	178
	Poison	89	66	23
	Drowning	412	336	76
	Suffocation	71	45	26
	Otherwise	386	230	156
	<i>Homicide.</i>									
	Murder, Manslaughter	47	25	22
	Justifiable Homicide	—	—	—
	<i>Suicide.</i>									
	Gunshot Wounds	95	93	2
	Cut, Stab	71	64	7
	Poison	78	55	23
	Drowning	51	29	22
	Hanging	96	88	8
	Otherwise	14	10	4
	<i>Execution.</i>									
	Hanging	4	4	—
VIII.	<i>Ill-defined and Not Specified Causes.</i>									
	Dropsy	41	24	17
	Debility, Atrophy, Inanition	1,931	1,064	867
	Mortification	2	1	1
	Tumor	9	4	5
	Abscess	14	6	8
	Hæmorrhage	24	18	6
	Sudden Death (cause unascertained)	—	—	—
	Other Ill-defined and not Specified Causes	164	101	63

No. 29.—RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) from each Cause during the Ten Years, 1896-1905, arranged in the Order of Fatality.

Order of Fatality.	Causes of Death.	Total.	Males.	Females.	Order of Fatality.	Causes of Death.	Total.	Males.	Females.
1	Old age	3,453	1,784	1,669	74	Rheumatism (except of heart and rheumatic fever)	62	31	31
2	Diseases of circulatory system not separately classed	3,410	1,837	1,573	75	Laryngitis	61	34	27
3	Phthisis	3,002	1,523	1,479	76	Dyspepsia	61	30	31
4	Cancer, malignant disease	2,187	1,101	1,086	77	Simple cholera	55	29	26
5	Pneumonia	2,025	1,192	833	78	Idiopathic tetanus	55	41	14
6	Debility, atrophy, inanition	1,931	1,004	867	79	Cerebro-spinal fever	55	35	20
7	Diarrhoea, dysentery	1,881	1,003	878	80	Drowning (suicidal)	51	29	22
8	Enteritis	1,637	897	740	81	Puerperal convulsions	48	—	48
9	Bronchitis	1,356	714	642	82	Murder, manslaughter	47	25	22
10	Apoplexy	1,109	545	564	83	Gunshot wounds (accidental)	45	40	5
11	Premature birth	1,030	500	440	84	Syphilis	45	20	25
12	Enteric fever	803	437	366	85	Sore throat, quinsy	43	22	21
13	Convulsions (except puerperal)	793	443	350	86	Urinary calculus	43	34	9
14	Fracture and contusion (accidental)	791	684	107	87	Dropsy undefined or ill-defined	41	24	17
15	Bright's disease	744	446	298	88	Otitis, otorrhoea, and disease of ear	41	22	19
16	Inflammation of brain or its membranes	614	325	289	89	Spina bifida	38	19	19
17	Influenza	566	281	285	90	Arthritis, otitis, peritonsillitis	37	18	19
18	Diseases of nervous system not separately classed	554	321	233	91	Ulceration of intestine	37	20	17
19	Forms of tuberculosis not separately classed	467	230	237	92	Diseases of lymphatic system	34	25	9
20	Whooping cough	442	200	242	93	Intussusception of intestine	34	22	12
21	Endocarditis, valvular disease of the heart	428	219	209	94	Abortion, miscarriage	34	—	34
22	Drowning (accidental)	412	336	76	95	Ovarian disease	33	—	33
23	Accidents not separately classed	386	236	150	96	Pericarditis	30	18	12
24	Insanity, general paralysis of insane	366	228	138	97	Gout	29	27	2
25	Tubercular meningitis (acute hydrocephalus)	340	175	165	98	Phlegmon, cellulitis	28	18	10
26	Dentition	332	179	153	99	Senile gangrene	27	12	15
27	Measles	328	167	161	100	Bronchocele	25	3	22
28	Diseases of liver (except cirrhosis and gallstones)	306	166	140	101	Stomatitis	24	12	12
29	Peritonitis (except puerperal and tubercular)	290	161	189	102	Hæmorrhage undefined or ill-defined	24	18	6
30	Burn, scald (accidental)	275	97	178	103	Eczema	23	14	9
31	Diabetes mellitus	274	130	144	104	Hæmatemesis	22	14	8
32	Acute nephritis	250	147	103	105	Thrush	21	7	14
33	Disease of stomach	246	119	127	106	Carbuncle	20	15	5
34	Diphtheria	245	117	128	107	Gonorrhoea, stricture of urethra	20	20	—
35	Diseases of bladder and of prostate	223	214	9	108	Addison's disease	20	7	13
36	Ileus, obstruction of intestine	221	110	111	109	Diseases of integumentary system not separately classed	20	9	11
37	Diseases of respiratory system not separately classed	216	128	88	110	Cleft palate, harelip	18	9	9
38	Pleurisy	194	121	73	111	Ascites	17	8	9
39	Puerperal fever	192	—	192	112	Cyanosis	17	12	5
40	Cirrhosis of liver	182	117	65	113	Simple and ill-defined fever	17	10	7
41	Syncope	181	82	99	114	Imperforate anus	16	12	4
42	Rheumatic fever, rheumatism of heart	176	74	102	115	Pelvic abscess	15	2	13
43	Anæmia, chlorosis, leucocythæmia	171	73	98	116	Abscess undefined or ill-defined	14	6	8
44	Paraplegia, disease of spinal cord	165	97	68	117	Suicides not separately classed	14	10	4
45	Ill-defined and unspecified causes not separately classed	164	101	63	118	Delirium tremens	13	13	—
46	Epilepsy	159	86	73	119	Laryngismus stridulus	13	9	4
47	Hemiplegia, brain paralysis	159	81	78	120	Hyper trophy of heart	12	6	6
48	Emphysema, asthma	158	106	52	121	Suppression of urine	11	11	—
49	Embolism, thrombosis	155	66	89	122	Tumor undefined or ill-defined	9	4	5
50	Diseases of urinary system not separately classed	154	104	50	123	Cut, stab (accidental)	9	4	5
51	Starvation, want of breast milk	142	100	42	124	Diseases of spleen	9	5	4
52	Pyæmia, septicæmia	134	60	74	125	Puerperal mania	8	—	8
53	Diseases of digestive system not separately classed	120	65	55	126	Phlebitis	8	1	7
54	Erysipelas	118	59	59	127	Stricture or strangulation of intestine	7	7	—
55	Congenital defects not separately classed	112	67	45	128	Lupus	7	4	3
56	Accidents of childbirth not separately classed	111	—	111	129	Malarial diseases not separately classed	7	7	—
57	Hydatid disease	109	69	40	130	Diseases of larynx and trachea (except croup and laryngitis)	6	3	3
58	Hernia	108	58	50	131	Epistaxis and disease of nose	6	4	2
59	Uræmia	106	65	41	132	Ulcer, bed sore	6	3	3
60	Constitutional diseases not separately classed	102	40	62	133	Chorea	6	1	5
61	Hanging (suicidal)	96	88	8	134	Fistula	4	2	2
62	Gunshot wounds (suicidal)	95	93	2	135	Hanging (execution)	4	4	—
63	Poisoning (accidental)	89	66	23	136	Scurvy	4	2	2
64	Anæurism	87	78	9	137	Remittent fever	3	1	2
65	Scarlet fever	85	44	41	138	Phlegmasia dolens	3	—	3
66	Caries, necrosis	79	46	33	139	Diseases of testes, scrotum, &c.	3	3	—
67	Atelectasis	79	44	35	140	Disorders of menstruation	3	—	3
68	Poisoning (suicidal)	78	55	23	141	Melæna	3	2	1
69	Chronic alcoholism	75	49	26	142	Ophthalmia and disease of eye	3	1	2
70	Tabes me-enterica	74	35	39	143	Diseases from vegetable parasites not separately classed	3	2	1
71	Diseases of uterus and vagina	74	—	74	144	Miasmatic diseases not separately classed	3	3	—
72	Croup	71	46	25	145	Ague, intermittent fever	3	3	—
73	Suffocation (accidental)	71	45	26	146	Pemphigus	3	2	1
	Placenta prævia, flooding	71	—	71	147	Chicken-pox	3	1	2
	Cut, stab (suicidal)	71	64	7	148	Hæmaturia	2	2	—
	Softening of brain	69	37	32	149	Perineal abscess	2	1	1
	Diseases of organs of locomotion not separately classed	68	38	30	150	Mortification undefined or ill-defined	2	1	1
	Angina pectoris	67	44	23	151	Mumps	2	1	1
	Gallstones	66	24	42	152	Epidemic rose rash	2	1	1
					153	Smallpox	2	2	—
					154	Phagedæna	1	—	1
					155	Varicose veins	1	—	1
					156	Splenic fever	1	1	—
					157	Diseases from animal parasites not separately classed	1	1	—

No. 30.—RETURN showing the Number of Persons who committed Suicide in South Australia (exclusive of the Northern Territory) during the Year 1905.

		Cause of Death.												Total.		
		Wounds.				Poisoning.		Drowning.		Hanging.		Otherwise.				
		Gunshot.		Cut, Stab, &c.												
		Males.	Females.	Males.	Females.									Males.	Females.	Males.
Metropolitan	City of Adelaide	2	—	4	1	1	1	1	—	1	—	—	—	9	2	11
	Suburbs	5	—	2	—	2	2	—	2	3	—	—	—	12	4	16
Extra-Metropolitan		5	—	4	1	5	—	5	3	6	—	—	—	25	4	29
Total		12	—	10	2	8	3	6	5	10	—	—	—	46	10	56

No. 31.—RETURN showing the Ages of Persons who committed Suicide in South Australia (exclusive of the Northern Territory) during the Year 1905.

		Ages.																													
		Under 25 years.		25-		30-		35-		40-		45-		50-		55-		60-		65-		70-		75 and Upwards.		Not Stated.		Totals.			
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.	
Metropolitan	{ City of Adelaide	—	I	I	—	I	—	I	—	—	I	3	—	—	—	I	—	I	—	I	—	—	—	—	—	—	—	—	9	2	II
	{ Suburbs “	—	—	I	—	—	2	I	—	I	I	3	—	—	—	2	—	3	I	—	—	—	—	I	—	—	—	12	4	16	
Extra-Metropolitan		2	I	3	I	2	—	3	—	2	—	2	I	—	—	4	—	4	I	2	—	—	—	I	—	—	—	25	4	29	
Total		2	2	5	I	3	2	5	—	3	2	8	I	—	—	7	—	8	2	3	—	—	—	2	—	—	—	46	10	56	

No. 32.—DECENNIAL RETURN showing the Number of Persons who committed Suicide in South Australia (exclusive of the Northern Territory).

Year.	Totals.	Males.	Females.
1896	31	24	7
1897	50	40	10
1898	41	36	5
1899	34	22	12
1900	33	26	7
1901	41	39	2
1902	35	32	3
1903	43	39	4
1904	41	35	6
1905	56	46	10

VACCINATIONS.

No. 33.—RETURN showing the Number of Public Vaccinators, the Number of Children whose Births were Registered during the Year 1905; the total Number of successful Vaccinations of Persons of all Ages, during the same period; and the Amount Paid by Government.

Number of Public Vaccinators.	Number of successful Vaccinations during the year.	Number of Births Registered during the year.	Proportion of Vaccinations to 100 Children Registered during the year.	Amount Paid by Government for the year's Vaccinations.
189	1,142	8,832	12'93	£ s. d. 184 19 6

No. 34.—DECENNIAL RETURN showing the Number of successful Vaccinations, and the Proportion to Births registered in South Australia (exclusive of the Northern Territory).

Year.	No. of Births Registered.	No. of successful Vaccinations.	No. of Vaccinations to 100 Births Registered.
1896	10,012	6,430	64'22
1897	9,535	6,331	66'40
1898	8,945	5,605	62'66
1899	9,397	4,854	51'65
1900	9,143	5,588	61'12
1901	9,079	4,350	47'91
1902	8,927	1,906	21'35
1903	8,475	1,857	21'91
1904	9,100	1,476	16'22
1905	8,832	1,142	12'93

No. 35.—DECENNIAL RETURN showing the Number of Deaths in Public Institutions in South Australia (exclusive of the Northern Territory).

Name of Institution.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.
HOSPITALS—										
Adelaide Hospital	222	225	246	257	243	282	264	291	263	264
Consumptive Home	—	—	—	—	—	—	—	—	2	21
Mount Gambier Hospital	17	18	15	14	17	12	16	8	10	21
Port Adelaide Casualty Hospital	1	—	1	2	3	—	4	3	3	2
Port Augusta Hospital	21	26	19	24	20	27	23	24	21	24
Port Lincoln Hospital	3	2	5	5	2	1	4	1	6	5
Walleroo Hospital	18	14	13	16	7	19	15	9	14	22
Clare Casualty Hospital	—	1	3	1	1	1	2	—	—	1
† Waukaringa Hospital (formerly at Teetulpa)	—	—	—	—	—	—	—	—	—	—
Port Pirie Hospital	7	14	20	21	17	31	31	21	24	22
Tarcoola Hospital	—	—	—	—	—	6	—	2	—	—
LUNATIC ASYLUMS—										
‡ Adelaide	21	16	19	14	9	12	3	—	—	—
Parkside	49	49	61	77	85	70	102	126	107	91
DESTITUTE—										
*Destitute Asylum	59	77	84	70	54	79	86	84	92	75
*Lying-in Department	6	6	4	4	1	4	1	6	—	2
State Children's Department	2	2	4	—	—	2	4	3	1	2
	4	7	12	8	6	5	9	11	8	2
GAOLS AND PENAL ESTABLISHMENTS—										
Adelaide Gaol	1	1§	1	—	1§	—	—	—	1§	3
Gladstone Gaol	—	—	2	1	—	—	1	—	—	—
Mount Gambier Gaol	—	—	—	—	—	—	—	—	—	—
Port Augusta Gaol	—	—	—	—	—	—	—	—	—	—
Port Lincoln Gaol	—	—	—	—	—	—	—	—	—	—
Redruth Gaol	—	—	—	—	—	—	—	—	—	—
Walleroo Gaol	—	—	—	—	—	—	—	—	—	—
Yatala Labor Prison	—	—	—	—	1	—	—	—	—	1

* Including children.

+ Closed since September 4th, 1894.

‡ Closed since May 29th, 1902.

§ Executed

|| Including 1 executed.

G. H. AYLIFFE, Registrar-General of Births, &c.